



Futura®
Sterling® Premium Digital™
Sterling® Premium Digital™ for HP Indigo
Productolith Pts. Digital®
Blazer Digital®

DIGITAL STOCKING GUIDE



FUTURA®

Results that rival offset

Superior toner adhesion and 96 brightness – averaging up to 10% higher than the competition across all basis weights – puts Futura® in a class by itself. It's your go-to choice for high-end projects that require results that rival conventional offset printing. Designed with a patented, coated surface, Futura® offers users peace of mind with jam-free runnability and printability for unsurpassed productivity to meet the tough standards set by Xerox, HP, Kodak, Canon and other OEMs. With three chain-of-custody certifications, it's available in an assortment of finishes and weights.

APPLICATIONS

- High-end marketing collateral, advertising, annual reports and photo books
- On demand printing of any kind, including variable imaging
- Short run catalogs and magazines
- Brochures, flyers and sell sheets
- On demand books
- Business cards
- Postcards
- Direct mail
- Prepress applications

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

| FINISH | BRIGHTNESS | GLOSS | TEXT WEIGHT | COVER WEIGHT |
|--------|------------|-------|-------------|-----------------|
| GLOSS | 96 | 65 | 80, 100 | 80*, 100**, 120 |
| DULL | 96 | 32 | 80, 100 | 80*, 100**, 120 |
| MATTE | 96 | 15 | 80, 100 | 80**, 100 |

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Futura® products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC®, PEFC™ or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

FUTURA®

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/ PACKAGE | PACKAGES/ CARTON | SHEETS/ CARTON | CARTONS/ PALLET | GRAIN | BRIGHTNESS | GLOSS | OPACITY |
|--------------------|----------------|-----|--------------|-------|-----------------|------------------|----------------|-----------------|-------|------------|-------|---------|
| GLOSS TEXT | | | | | | | | | | | | |
| 403486 | 80 | 118 | 8.5 x 11 | 16 | 500 | 8 | 4000 | 40 | L | 96 | 65 | 93.5 |
| 403484 | | | 17 x 11 | 31 | 500 | 4 | 2000 | 40 | S | | | |
| 403483 | | | 18 x 12 | 36 | 500 | 4 | 2000 | 40 | S | | | |
| 403485 | | | 12 x 18 | 36 | 500 | 4 | 2000 | 40 | L | | | |
| 403943 | | | 19 x 13 | 42 | 500 | 3 | 1500 | 30 | S | | | |
| 403482 | | | 20.5 x 14.33 | 49 | 500 | 2 | 1000 | 40 | S | | | |
| 286415 | | | 26 x 14 | 61 | n/a | n/a | 1200 | 24 | S | | | |
| 360264 | | | 26 x 14.33 | 63 | n/a | n/a | 1000 | 32 | S | | | |
| 403481 | | | 8.5 x 11 | 20 | 500 | 6 | 3000 | 40 | L | | | |
| 403480 | | | 17 x 11 | 39 | 500 | 3 | 1500 | 40 | S | | | |
| 403479 | 18 x 12 | 45 | 500 | 3 | 1500 | 40 | S | | | | | |
| 405128 | 100 | 148 | 19 x 13 | 52 | 400 | 3 | 1200 | 30 | S | 96 | 65 | 95 |
| 403478 | | | 20.5 x 14.33 | 62 | 400 | 2 | 800 | 40 | S | | | |
| 286359 | | | 26 x 14 | 77 | n/a | n/a | 1000 | 24 | S | | | |
| 360265 | | | 26 x 14.33 | 78 | n/a | n/a | 800 | 32 | S | | | |
| GLOSS COVER | | | | | | | | | | | | |
| 403496 | 80 (7 pt.) | 216 | 8.5 x 11 | 29 | 250 | 8 | 2000 | 40 | L | 96 | 65 | 98.5 |
| 403495 | | | 17 x 11 | 57 | 250 | 4 | 1000 | 40 | S | | | |
| 403494 | | | 18 x 12 | 66 | 250 | 4 | 1000 | 40 | S | | | |
| 403941 | | | 19 x 13 | 76 | 250 | 3 | 750 | 30 | S | | | |
| 403493 | | | 20.5 x 14.33 | 90 | 250 | 2 | 500 | 40 | S | | | |
| 286361 | | | 26 x 14 | 112 | n/a | n/a | 600 | 24 | S | | | |
| 360266 | | | 26 x 14.33 | 115 | n/a | n/a | 500 | 32 | S | | | |
| 270271 | 100 (9 pt.) | 271 | 8.5 x 11 | 36 | 250 | 6 | 1500 | 40 | L | 96 | 65 | 99 |
| 403492 | | | 17 x 11 | 72 | 250 | 3 | 750 | 40 | S | | | |
| 403491 | | | 18 x 12 | 83 | 250 | 3 | 750 | 40 | S | | | |
| 403490 | | | 19 x 13 | 95 | 200 | 3 | 600 | 30 | S | | | |
| 403489 | | | 20.5 x 14.33 | 113 | 200 | 2 | 400 | 40 | S | | | |
| 286413 | | | 26 x 14 | 140 | n/a | n/a | 500 | 24 | S | | | |
| 360267 | | | 26 x 14.33 | 143 | n/a | n/a | 400 | 32 | S | | | |
| 403488 | | | 18 x 12 | 100 | 200 | 2 | 400 | 40 | S | | | |
| 403540 | 120 | 326 | 19 x 13 | 114 | 200 | 3 | 600 | 30 | S | 96 | 65 | 99 |
| 403487 | | | 20.5 x 14.33 | 135 | 200 | 2 | 400 | 40 | S | | | |
| 360259 | | | 26 x 14.33 | 172 | n/a | n/a | 350 | 32 | S | | | |
| GLOSS COVER | | | | | | | | | | | | |

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

26 x 14 and 26 x 14.33 items are not ream wrapped.

Futura® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Futura® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information. Verso is an Alliance One Select Member for Graphic Arts.

FUTURA®

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/ PACKAGE | PACKAGES/ CARTON | SHEETS/ CARTON | CARTONS/ PALLET | GRAIN | BRIGHTNESS | GLOSS | OPACITY |
|--------------------|----------------|-----|--------------|-------|-----------------|------------------|----------------|-----------------|-------|------------|-------|---------|
| DULL TEXT | | | | | | | | | | | | |
| 403471 | 80 | 118 | 8.5 x 11 | 16 | 500 | 8 | 4000 | 40 | L | 96 | 32 | 93.5 |
| 403469 | | | 17 x 11 | 31 | 500 | 4 | 2000 | 40 | S | | | |
| 403468 | | | 18 x 12 | 36 | 500 | 4 | 2000 | 40 | S | | | |
| 403470 | | | 12 x 18 | 36 | 500 | 4 | 2000 | 40 | L | | | |
| 403539 | | | 19 x 13 | 42 | 400 | 4 | 1600 | 30 | S | | | |
| 403467 | | | 20.5 x 14.33 | 49 | 500 | 2 | 1000 | 40 | S | | | |
| 289368 | | | 26 x 14 | 61 | n/a | n/a | 1200 | 24 | S | | | |
| 360257 | | | 26 x 14.33 | 63 | n/a | n/a | 1000 | 32 | S | | | |
| 403466 | 100 | 148 | 8.5 x 11 | 20 | 500 | 6 | 3000 | 40 | L | 96 | 32 | 95 |
| 403465 | | | 17 x 11 | 39 | 500 | 3 | 1500 | 40 | S | | | |
| 403464 | | | 18 x 12 | 45 | 500 | 3 | 1500 | 40 | S | | | |
| 403538 | | | 19 x 13 | 52 | 400 | 3 | 1200 | 30 | S | | | |
| 403463 | | | 20.5 x 14.33 | 62 | 400 | 2 | 800 | 40 | S | | | |
| 289370 | | | 26 x 14 | 77 | n/a | n/a | 1000 | 24 | S | | | |
| 360260 | | | 26 x 14.33 | 78 | n/a | n/a | 800 | 32 | S | | | |
| DULL COVER | | | | | | | | | | | | |
| 403477 | 80 (7 pt.) | 216 | 8.5 x 11 | 29 | 250 | 8 | 2000 | 40 | L | 96 | 32 | 98.5 |
| 403476 | | | 17 x 11 | 57 | 250 | 4 | 1000 | 40 | S | | | |
| 403475 | | | 18 x 12 | 66 | 250 | 4 | 1000 | 40 | S | | | |
| 403537 | | | 19 x 13 | 76 | 250 | 3 | 750 | 30 | S | | | |
| 403474 | | | 20.5 x 14.33 | 90 | 250 | 2 | 500 | 40 | S | | | |
| 289369 | | | 26 x 14 | 112 | n/a | n/a | 600 | 24 | S | | | |
| 360258 | | | 26 x 14.33 | 115 | n/a | n/a | 500 | 32 | S | | | |
| 375989 | 100 (9 pt.) | 271 | 8.5 x 11 | 36 | 250 | 6 | 1500 | 40 | L | 96 | 32 | 99 |
| 375990 | | | 17 x 11 | 72 | 250 | 3 | 750 | 40 | S | | | |
| 403473 | | | 18 x 12 | 83 | 250 | 3 | 750 | 40 | S | | | |
| 403536 | | | 19 x 13 | 95 | 200 | 3 | 600 | 30 | S | | | |
| 342343 | | | 20.5 x 14.33 | 113 | 200 | 2 | 400 | 40 | S | | | |
| 289522 | | | 26 x 14 | 140 | n/a | n/a | 500 | 24 | S | | | |
| 360538 | | | 26 x 14.33 | 143 | n/a | n/a | 400 | 24 | S | | | |
| 290313 | 120 | 326 | 18 x 12 | 100 | 200 | 2 | 400 | 40 | S | 96 | 32 | 99 |
| 290314 | | | 19 x 13 | 114 | 200 | 3 | 600 | 30 | S | | | |
| 290315 | | | 20.5 x 14.33 | 135 | 200 | 2 | 400 | 40 | S | | | |
| 360261 | | | 26 x 14.33 | 172 | n/a | n/a | 350 | 32 | S | | | |
| MATTE TEXT | | | | | | | | | | | | |
| 403500 | 80 | 118 | 18 x 12 | 36 | 500 | 3 | 1500 | 40 | S | 96 | 15 | 93.5 |
| 403498 | 100 | 148 | 18 x 12 | 45 | 400 | 3 | 1200 | 40 | S | 96 | 15 | 95 |
| MATTE COVER | | | | | | | | | | | | |
| 403505 | 80 (9 pt.) | 216 | 18 x 12 | 66 | 250 | 3 | 750 | 40 | S | 96 | 15 | 98.5 |
| 403503 | | | 20.5 x 14.33 | 90 | 250 | 2 | 500 | 40 | S | | | |
| 403502 | 100 | 271 | 18 x 12 | 83 | 200 | 3 | 600 | 40 | S | 96 | 15 | 99 |
| 403544 | | | 19 x 13 | 95 | 200 | 3 | 600 | 30 | S | | | |
| 403501 | | | 20.5 x 14.33 | 113 | 200 | 2 | 400 | 40 | S | | | |

STERLING® PREMIUM DIGITAL™

Premium optics, budget-friendly

With 96 brightness and an exceptional printing surface, Sterling® Premium Digital™ is the digital premium without the premium price tag. It's the same legendary Sterling® standard you know and trust for steadfast consistency, tried-and-true reliability on press and budget-friendly pricing. Available in a full range of finishes, weights and sizes, there's even a version made specifically for HP Indigo presses.

APPLICATIONS

- Flyers
- Newsletters
- Posters
- Direct mail
- Books
- Brochures
- Invitations
- Presentations

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

| FINISH | BRIGHTNESS | GLOSS | TEXT WEIGHT | COVER WEIGHT |
|--------|------------|-------|-------------|----------------|
| GLOSS | 96 | 72 | 80, 100 | 80", 100", 120 |
| SILK | 96 | 45 | 80, 100 | 80", 100", 120 |
| MATTE | 96 | 30 | 80 | 80" |

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

Sterling® Premium is the matching offset grade to Sterling® Premium Digital™ for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Sterling® Premium Digital™ products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Sterling® Premium Digital™ manufactured with 10% post-consumer waste (PCW) recycled fiber.

Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

STERLING® PREMIUM DIGITAL™

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/ PACKAGE | PACKAGES/ CARTON | SHEETS/ CARTON | CARTONS/ PALLET | GRAIN | BRIGHT-NESS | GLOSS | OPACITY |
|--------------------|----------------|-----|--------------|-------|-----------------|------------------|----------------|-----------------|-------|-------------|-------|---------|
| GLOSS TEXT | | | | | | | | | | | | |
| 283618 | 80 | 118 | 8.5 x 11 | 16 | 500 | 6 | 3000 | 40 | L | 96 | 72 | 94.5 |
| 283604 | | | 11 x 17 | 31 | 500 | 3 | 1500 | 40 | L | | | |
| 283617 | | | 12 x 18 | 36 | 500 | 3 | 1500 | 40 | L | | | |
| 283620 | | | 13 x 19 | 42 | 500 | 3 | 1500 | 30 | L | | | |
| 283619 | | | 14 x 20 | 47 | 600 | 2 | 1200 | 25 | L | | | |
| 283682 | 100 | 148 | 8.5 x 11 | 20 | 400 | 6 | 2400 | 40 | L | 96 | 72 | 96 |
| 283681 | | | 11 x 17 | 39 | 500 | 3 | 1500 | 40 | L | | | |
| 283611 | | | 12 x 18 | 45 | 500 | 2 | 1000 | 40 | L | | | |
| 283683 | | | 13 x 19 | 52 | 500 | 2 | 1000 | 30 | L | | | |
| 283684 | | | 14 x 20 | 59 | 500 | 2 | 1000 | 25 | L | | | |
| GLOSS COVER | | | | | | | | | | | | |
| 283669 | 80 (7 pt.) | 216 | 8.5 x 11 | 29 | 250 | 6 | 1500 | 40 | L | 96 | 72 | 98 |
| 283668 | | | 11 x 17 | 58 | 250 | 3 | 750 | 40 | L | | | |
| 283673 | | | 17 x 11 | 58 | 250 | 3 | 750 | 40 | S | | | |
| 283608 | | | 18 x 12 | 66 | 250 | 3 | 750 | 40 | S | | | |
| 283671 | | | 19 x 13 | 76 | 250 | 3 | 750 | 30 | S | | | |
| 283672 | | | 20 x 14 | 86 | 250 | 3 | 750 | 25 | S | | | |
| 283670 | | | 20.5 x 14.33 | 90 | 250 | 3 | 750 | 40 | S | | | |
| 283693 | 100 (9 pt.) | 271 | 8.5 x 11 | 36 | 200 | 6 | 1200 | 40 | L | 96 | 72 | 99 |
| 283691 | | | 11 x 17 | 72 | 250 | 2 | 500 | 40 | L | | | |
| 283696 | | | 17 x 11 | 72 | 250 | 2 | 500 | 40 | S | | | |
| 283613 | | | 18 x 12 | 83 | 250 | 2 | 500 | 40 | S | | | |
| 283694 | | | 19 x 13 | 95 | 250 | 2 | 500 | 30 | S | | | |
| 283692 | | | 20 x 14 | 108 | 250 | 2 | 500 | 25 | S | | | |
| 283695 | 20.5 x 14.33 | 113 | 200 | 3 | 600 | 40 | S | | | | | |
| 283615 | 120 | 326 | 18 x 12 | 100 | 200 | 2 | 400 | 40 | S | 96 | 72 | 99 |
| 283700 | | | 20 x 14 | 129 | 200 | 2 | 400 | 25 | S | | | |

STERLING® PREMIUM DIGITAL™

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/ PACKAGE | PACKAGES/ CARTON | SHEETS/ CARTON | CARTONS/ PALLET | GRAIN | BRIGHTNESS | GLOSS | OPACITY |
|--------------------|----------------|-----|---------|-------|-----------------|------------------|----------------|-----------------|-------|------------|-------|---------|
| SILK TEXT | | | | | | | | | | | | |
| 283662 | 80 | 118 | 11 x 17 | 31 | 500 | 3 | 1500 | 40 | L | 96 | 45 | 94.5 |
| 283605 | | | 12 x 18 | 36 | 500 | 3 | 1500 | 40 | L | | | |
| 283664 | | | 18 x 12 | 36 | 500 | 3 | 1500 | 40 | S | | | |
| 283144 | | | 13 x 19 | 42 | 500 | 3 | 1500 | 30 | L | | | |
| 283663 | | | 14 x 20 | 47 | 600 | 2 | 1200 | 25 | L | | | |
| 283687 | 100 | 148 | 11 x 17 | 39 | 500 | 3 | 1500 | 40 | L | 96 | 45 | 96 |
| 283612 | | | 12 x 18 | 45 | 500 | 2 | 1000 | 40 | L | | | |
| 283689 | | | 18 x 12 | 45 | 500 | 2 | 1000 | 40 | S | | | |
| 283690 | | | 13 x 19 | 52 | 500 | 2 | 1000 | 30 | L | | | |
| 283688 | | | 14 x 20 | 59 | 500 | 2 | 1000 | 25 | L | | | |
| SILK COVER | | | | | | | | | | | | |
| 283676 | 80 (7 pt.) | 216 | 17 x 11 | 58 | 250 | 3 | 750 | 40 | S | 96 | 45 | 98 |
| 283609 | | | 18 x 12 | 66 | 250 | 3 | 750 | 40 | S | | | |
| 283675 | | | 19 x 13 | 76 | 250 | 3 | 750 | 30 | S | | | |
| 283674 | | | 20 x 14 | 86 | 250 | 3 | 750 | 25 | S | | | |
| 283699 | | | 17 x 11 | 72 | 250 | 2 | 500 | 40 | S | | | |
| 283614 | 100 (9 pt.) | 271 | 18 x 12 | 83 | 250 | 2 | 500 | 40 | S | 96 | 45 | 99 |
| 283698 | | | 19 x 13 | 95 | 250 | 2 | 500 | 30 | S | | | |
| 283697 | | | 20 x 14 | 108 | 250 | 2 | 500 | 25 | S | | | |
| 283616 | 120 | 326 | 18 x 12 | 100 | 200 | 2 | 400 | 40 | S | 96 | 45 | 99 |
| 283701 | | | 20 x 14 | 129 | 200 | 2 | 400 | 25 | S | | | |
| MATTE TEXT | | | | | | | | | | | | |
| 283607 | 80 | 118 | 11 x 17 | 31 | 500 | 3 | 1500 | 40 | L | 96 | 30 | 94.5 |
| 283665 | | | 12 x 18 | 36 | 500 | 3 | 1500 | 40 | L | | | |
| MATTE COVER | | | | | | | | | | | | |
| 283679 | 80 (9 pt.) | 216 | 17 x 11 | 58 | 250 | 3 | 750 | 40 | S | 96 | 30 | 98 |
| 283610 | | | 18 x 12 | 66 | 250 | 3 | 750 | 40 | S | | | |

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

♻️ Sterling® Premium Digital™ manufactured with 10% post-consumer waste (PCW) recycled fiber.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Sterling® Premium Digital™ is not certified to run on HP Indigo equipment. Please refer to Sterling® Premium Digital™ for HP Indigo for suitable stock selections.

Use of this product on slower equipment (< 24 ppm) is at the customer's own risk.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.

STERLING® PREMIUM DIGITAL™ FOR HP INDIGO

Designed to run

The counterpart to Sterling® Premium Digital™, this product has an exceptional surface designed specifically for optimal press performance on HP Indigo equipment. It delivers the same steadfast consistency and tried-and-true performance you have come to rely on from the legendary Sterling® digital brand. With a 96 brightness, premium optics and budget-friendly pricing.

APPLICATIONS

- Flyers
- Newsletters
- Posters
- Direct mail
- Books
- Brochures
- Invitations
- Presentations

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- HP Indigo certified by the Rochester Institute of Technology

SPECIFICATIONS

| FINISH | BRIGHTNESS | GLOSS | TEXT WEIGHT | COVER WEIGHT |
|--------|------------|-------|-------------|-----------------|
| GLOSS | 96 | 72 | 80, 100 | 80*, 100**, 120 |
| SILK | 96 | 45 | 80, 100 | 80*, 100**, 120 |

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

Sterling® Premium is the matching offset grade to Sterling® Premium Digital™ for HP Indigo for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Sterling® Premium Digital™ for HP Indigo products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Sterling® Premium Digital™ for HP Indigo manufactured with 10% post-consumer waste (PCW) recycled fiber.

Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

STERLING® PREMIUM DIGITAL™

For HP Indigo

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/ SKID | TIERS | SHEETS/ PACKAGE | PACKAGES/ CARTON | SHEETS/ CARTON | CARTONS/ PALLET | GRAIN | BRIGHT- NESS | GLOSS | OPACITY |
|--------------------|-----------|-----|--------------|-------|--------------|-------|-----------------|------------------|----------------|-----------------|-------|--------------|-------|---------|
| GLOSS TEXT | | | | | | | | | | | | | | |
| 283253 | | | 12 x 18 | 36 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | |
| 283247 | | | 13 x 19 | 42 | n/a | n/a | 500 | 3 | 1500 | 30 | L | | | |
| 304119 | 80 | 118 | 29.5 x 20.75 | 103 | n/a | n/a | n/a | n/a | 1000 | 20 | S | 96 | 72 | 94.5 |
| 359522 | | | 29.5 x 20.75 | 103 | 8000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| 283250 | | | 12 x 18 | 45 | n/a | n/a | 500 | 2 | 1000 | 40 | L | | | |
| 283251 | | | 13 x 19 | 52 | n/a | n/a | 500 | 2 | 1000 | 30 | L | | | |
| 304120 | 100 | 148 | 29.5 x 20.75 | 129 | n/a | n/a | n/a | n/a | 800 | 20 | S | 96 | 72 | 96 |
| 359140 | | | 29.5 x 20.75 | 129 | 7000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| GLOSS COVER | | | | | | | | | | | | | | |
| 283255 | | | 18 x 12 | 66 | n/a | n/a | 250 | 3 | 750 | 40 | S | | | |
| 283260 | 80 | 216 | 19 x 13 | 76 | n/a | n/a | 250 | 3 | 750 | 30 | S | 96 | 72 | 98 |
| 304121 | (7 pt.) | | 20.75 x 29.5 | 188 | n/a | n/a | n/a | n/a | 500 | 20 | L | | | |
| 359523 | | | 20.75 x 29.5 | 188 | 4000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 283252 | | | 18 x 12 | 83 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | |
| 282408 | 100 | 271 | 19 x 13 | 95 | n/a | n/a | 250 | 2 | 500 | 30 | S | 96 | 72 | 99 |
| 304123 | (9 pt.) | | 20.75 x 29.5 | 235 | n/a | n/a | n/a | n/a | 450 | 20 | L | | | |
| 359141 | | | 20.75 x 29.5 | 235 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 289779 | | | 18 x 12 | 100 | n/a | n/a | 200 | 2 | 400 | 40 | S | | | |
| 289787 | 120 | 326 | 19 x 13 | 114 | n/a | n/a | 200 | 2 | 400 | 30 | S | 96 | 72 | 99 |
| 304124 | | | 20.75 x 29.5 | 283 | n/a | n/a | n/a | n/a | 350 | 20 | L | | | |
| SILK TEXT | | | | | | | | | | | | | | |
| 283249 | | | 12 x 18 | 36 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | |
| 283248 | | | 13 x 19 | 42 | n/a | n/a | 500 | 3 | 1500 | 30 | L | | | |
| 304113 | 80 | 118 | 29.5 x 20.75 | 103 | n/a | n/a | n/a | n/a | 1000 | 20 | S | 96 | 45 | 94.5 |
| 359138 | | | 29.5 x 20.75 | 103 | 8000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| 283257 | | | 12 x 18 | 45 | n/a | n/a | 500 | 2 | 1000 | 40 | L | | | |
| 283262 | | | 13 x 19 | 52 | n/a | n/a | 500 | 2 | 1000 | 30 | L | | | |
| 304114 | 100 | 148 | 29.5 x 20.75 | 129 | n/a | n/a | n/a | n/a | 800 | 20 | S | 96 | 45 | 96 |
| 359136 | | | 29.5 x 20.75 | 129 | 7000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| SILK COVER | | | | | | | | | | | | | | |
| 283256 | | | 18 x 12 | 66 | n/a | n/a | 250 | 3 | 750 | 40 | S | | | |
| 283261 | 80 | 216 | 19 x 13 | 76 | n/a | n/a | 250 | 3 | 750 | 30 | S | 96 | 45 | 98 |
| 304116 | (7 pt.) | | 20.75 x 29.5 | 188 | n/a | n/a | n/a | n/a | 500 | 20 | L | | | |
| 359139 | | | 20.75 x 29.5 | 188 | 4000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 283254 | | | 18 x 12 | 83 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | |
| 283259 | 100 | 271 | 19 x 13 | 95 | n/a | n/a | 250 | 2 | 500 | 30 | S | 96 | 45 | 99 |
| 304117 | (9 pt.) | | 20.75 x 29.5 | 235 | n/a | n/a | n/a | n/a | 450 | 20 | L | | | |
| 359137 | | | 20.75 x 29.5 | 235 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 289780 | | | 18 x 12 | 100 | n/a | n/a | 200 | 2 | 400 | 40 | S | | | |
| 289788 | 120 | 326 | 19 x 13 | 114 | n/a | n/a | 200 | 2 | 400 | 30 | S | 96 | 45 | 99 |
| 304118 | | | 20.75 x 29.5 | 283 | n/a | n/a | n/a | n/a | 350 | 20 | L | | | |
| 357515 | | | 20.75 x 29.5 | 283 | 6000 | 1 | n/a | n/a | n/a | n/a | L | | | |

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

♻️ Sterling® Premium Digital™ for HP Indigo manufactured with 10% post-consumer waste (PCW) recycled fiber.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Sterling® Premium Digital™ for HP Indigo is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information. Verso is an Alliance One Select Member for Graphic Arts.

PRODUCTOLITH PTS. DIGITAL[®]

The coated SBS Paperboard/Caliper Cover grade for digital

When choosing a coated SBS paperboard, Productolith[®] Pts. is a name you can trust. Our digital version of this classic gives you all the features you've come to expect from the standard Productolith[®] Pts. line. An exceptionally smooth, non-glare finish and whiter-white shade with 92 brightness yields superior printability and premium appearance on digital offset production and color laser. Guaranteed by the top digital equipment manufacturers, it also offers three chain-of-custody environmental certifications.

APPLICATIONS

- Folding cartons
- Cosmetic packaging
- Software packaging
- Table tents
- On demand printing
- Pocket folders
- Variable imaging
- Postcards
- Direct mail
- Business cards
- Menus
- Tags, Tickets and Labels
- Book covers

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology on both the coated and uncoated sides
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

| FINISH | BRIGHTNESS | GLOSS | CALIPER [^] |
|--------|------------|-------|--------------------------------|
| C1S | 92 | 45 | 10 pt., 12 pt., 14 pt., 16 pt. |
| C2S | 92 | 45 | 10 pt., 12 pt., 14 pt., 16 pt. |

[^] Caliper is guaranteed.

Productolith[®] Pts. is the matching grade to Productolith Pts. Digital[®] for sheetfed and web applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Productolith Pts. Digital[®] products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC[®], PEFC[™], or SFI[®] from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

PRODUCTOLITH PTS. DIGITAL®

| MATERIAL NUMBER | BOARD CALIPER [^] | BOARD WT. | GSM | SIZE | M. WT. | SHEETS/SKID | TIERS | SHEETS/PACKAGE | PACKAGES/CARTON | SHEETS/CARTON | CARTONS/PALLET | BRIGHTNESS GRAIN | GLOSS | OPACITY |
|---------------------|----------------------------|-----------|-----|--------------|--------|-------------|-------|----------------|-----------------|---------------|----------------|------------------|-------|---------|
| C1S | | | | | | | | | | | | | | |
| 269515 | | | | 18 x 12 | 67 | n/a | n/a | 200 | 4 | 800 | 40 | S | | |
| 274147 | 10 pt. | 134 | 218 | 19 x 13 | 76 | n/a | n/a | 200 | 4 | 800 | 30 | S | 92 | 45 98 |
| 311497 | | | | 20.75 x 29.5 | 190 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | |
| 269518 | | | | 18 x 12 | 79 | n/a | n/a | 200 | 3 | 600 | 40 | S | | |
| 274149 | 12 pt. | 157 | 256 | 19 x 13 | 90 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 45 99 |
| 311499 | | | | 20.75 x 29.5 | 222 | 2500 | 1 | n/a | n/a | n/a | n/a | L | | |
| 269521 | | | | 18 x 12 | 93 | n/a | n/a | 150 | 3 | 450 | 40 | S | | |
| 274151 | 14 pt. | 186 | 302 | 19 x 13 | 106 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 45 99 |
| 373404 | | | | 20.75 x 29.5 | 264 | 2000 | 1 | n/a | n/a | n/a | n/a | L | | |
| 354088 | | | | 18 x 12 | 101 | n/a | n/a | 150 | 3 | 450 | 40 | S | | |
| 354424 | 16 pt. | 201 | 327 | 19 x 13 | 115 | n/a | n/a | 200 | 2 | 400 | 30 | S | 92 | 45 99 |
| 361824 | | | | 20.75 x 29.5 | 285 | 2000 | 1 | n/a | n/a | n/a | n/a | L | | |
| C2S | | | | | | | | | | | | | | |
| 269524 | | | | 18 x 12 | 73 | n/a | n/a | 200 | 4 | 800 | 40 | S | | |
| 274152 | 10 pt. | 145 | 236 | 19 x 13 | 83 | n/a | n/a | 200 | 4 | 800 | 30 | S | 92 | 45 97.5 |
| 311498 | | | | 20.75 x 29.5 | 205 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | |
| 269526 | | | | 18 x 12 | 85 | n/a | n/a | 200 | 3 | 600 | 40 | S | | |
| 273739 [§] | | | | 18 x 12 | 85 | 22,000 | 1 | n/a | n/a | n/a | n/a | S | | |
| 274154 | 12 pt. | 170 | 277 | 19 x 13 | 97 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 45 98 |
| 311500 | | | | 20.75 x 29.5 | 241 | 2500 | 1 | n/a | n/a | n/a | n/a | L | | |
| 286466 | | | | 18 x 12 | 98 | n/a | n/a | 150 | 3 | 450 | 40 | S | | |
| 286468 | 14 pt. | 196 | 323 | 19 x 13 | 112 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 45 99 |
| 368308 | | | | 20.75 x 29.5 | 278 | 2000 | 1 | n/a | n/a | n/a | n/a | L | | |
| 354247 | | | | 18 x 12 | 107 | n/a | n/a | 150 | 3 | 450 | 40 | S | | |
| 354427 | 16 pt. | 214 | 348 | 19 x 13 | 122 | n/a | n/a | 200 | 2 | 400 | 30 | S | 92 | 45 99 |
| 361897 | | | | 20.75 x 29.5 | 303 | 2000 | 1 | n/a | n/a | n/a | n/a | L | | |

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

Productolith Pts. Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

[^] Caliper is guaranteed

[§] Material stocked at Sauk Village, Illinois location only

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

- 10 pt. C1S = 134
- 12 pt. C1S = 157
- 14 pt. C1S = 186
- 16 pt. C1S = 201
- 10 pt. C2S = 145
- 12 pt. C2S = 170
- 14 pt. C2S = 196
- 16 pt. C2S = 214

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Productolith Pts. Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

BLAZER DIGITAL®

Our value option

Blazer Digital® is an economical 92 bright coated digital paper with weight and finish choices similar to conventional folio formats. Offered in gloss and satin, text and cover weights, it provides good performance on laser and ElectroInk, production color printers and digital offset technologies. With three chain-of-custody certifications and approved by equipment manufacturers, Blazer Digital® offers yet another choice for digital applications.

APPLICATIONS

- On demand printing
- Brochures, flyers and sell sheets
- Variable imaging
- Postcards
- Direct mail
- Short run catalogs and magazines
- On demand books

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

| FINISH | BRIGHTNESS | GLOSS | TEXT WEIGHT | COVER WEIGHT |
|--------|------------|-------|-------------|--------------------------|
| GLOSS | 92 | 70 | 70, 80, 100 | 65, 80*, 100**, 110, 130 |
| SATIN | 92 | 35 | 70, 80, 100 | 65*, 80**, 100, 110, 130 |

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. Anthem Plus® is the matching offset grade to Blazer Digital® for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Blazer Digital® products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

BLAZER DIGITAL®

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/SKID | TIERS | SHEETS/PACKAGE | PACKAGES/CARTON | SHEETS/CARTON | CARTON/PALLET | GRAIN | BRIGHTNESS | GLOSS | OPACITY |
|--------------------|----------------|-----|--------------|-------|-------------|-------|----------------|-----------------|---------------|---------------|-------|------------|-------|---------|
| GLOSS TEXT | | | | | | | | | | | | | | |
| 308174 | 70 | 104 | 12 x 18 | 32 | n/a | n/a | 600 | 3 | 1800 | 40 | L | 92 | 70 | 90 |
| 308175 | | | 13 x 12 | 36 | n/a | n/a | 600 | 3 | 1800 | 30 | L | | | |
| 312428 | | | 29.5 x 20.75 | 90 | 10,000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| 279498 | 80 | 118 | 11 x 17 | 31 | n/a | n/a | 500 | 3 | 1500 | 40 | L | 92 | 70 | 93.5 |
| 279499 | | | 12 x 18 | 36 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | |
| 312443 | | | 12 x 18 | 36 | 32,000 | 4 | n/a | n/a | n/a | n/a | L | | | |
| 279500 | | | 13 x 19 | 42 | n/a | n/a | 500 | 3 | 1500 | 30 | L | | | |
| 279501 | | | 14 x 20 | 47 | n/a | n/a | 600 | 2 | 1200 | 25 | L | | | |
| 339437 | | | 14.33 x 26 | 63 | n/a | n/a | n/a | n/a | 1000 | 32 | L | | | |
| 308065 | | | 29.5 x 20.75 | 103 | 8000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| 279652 | | | 11 x 17 | 39 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | |
| 279653 | | | 12 x 18 | 45 | n/a | n/a | 500 | 2 | 1000 | 40 | L | | | |
| 312445 | | | 12 x 18 | 45 | 25,000 | 4 | n/a | n/a | n/a | n/a | L | | | |
| 279654 | 100 | 148 | 13 x 19 | 52 | n/a | n/a | 500 | 2 | 1000 | 30 | L | 92 | 70 | 95.5 |
| 279655 | | | 14 x 20 | 59 | n/a | n/a | 500 | 2 | 1000 | 25 | L | | | |
| 339438 | | | 14.33 x 26 | 78 | n/a | n/a | n/a | n/a | 800 | 32 | L | | | |
| 308066 | | | 29.5 x 20.75 | 129 | 7000 | 1 | n/a | n/a | n/a | n/a | S | | | |
| GLOSS COVER | | | | | | | | | | | | | | |
| 342600 | 65 | 176 | 18 x 12 | 54 | n/a | n/a | 400 | 2 | 800 | 40 | S | 92 | 70 | 97 |
| 342530 | | | 19 x 13 | 62 | n/a | n/a | 400 | 2 | 800 | 30 | S | | | |
| 348207 | | | 20.75 x 29.5 | 153 | 5500 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 279656 | 80 (7 pt.) | 216 | 17 x 11 | 58 | n/a | n/a | 250 | 3 | 750 | 40 | S | 92 | 70 | 98 |
| 279657 | | | 18 x 12 | 66 | n/a | n/a | 250 | 3 | 750 | 40 | S | | | |
| 312447 | | | 18 x 12 | 66 | 15,000 | 4 | n/a | n/a | n/a | n/a | S | | | |
| 279658 | | | 19 x 13 | 76 | n/a | n/a | 250 | 3 | 750 | 30 | S | | | |
| 279659 | | | 20 x 14 | 86 | n/a | n/a | 250 | 3 | 750 | 25 | S | | | |
| 308069 | | | 20.75 x 29.5 | 188 | 4000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 339439 | | | 26 x 14.33 | 115 | n/a | n/a | n/a | n/a | 500 | 32 | S | | | |
| 279660 | | | 17 x 11 | 72 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | |
| 279661 | | | 18 x 12 | 83 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | |
| 312449 | | | 18 x 12 | 83 | 14,000 | 4 | n/a | n/a | n/a | n/a | S | | | |
| 279662 | 100 (9 pt.) | 271 | 19 x 13 | 95 | n/a | n/a | 250 | 2 | 500 | 30 | S | 92 | 70 | 99 |
| 348649 | | | 19 x 13 | 95 | 17,500 | 6 | n/a | n/a | n/a | n/a | S | | | |
| 279663 | | | 20 x 14 | 108 | n/a | n/a | 250 | 2 | 500 | 25 | S | | | |
| 308070 | | | 20.75 x 29.5 | 235 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 306405 | | | 26 x 14.33 | 143 | n/a | n/a | n/a | n/a | 400 | 32 | S | | | |
| 290282 | | | 18 x 12 | 91 | n/a | n/a | 200 | 3 | 600 | 40 | S | | | |
| 312451 | | | 18 x 12 | 91 | 11,000 | 4 | n/a | n/a | n/a | n/a | S | | | |
| 290283 | 110 | 297 | 19 x 13 | 105 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 70 | 99 |
| 311399 | | | 20.75 x 29.5 | 259 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | | |
| 339462 | | | 26 x 14.33 | 158 | n/a | n/a | n/a | n/a | 400 | 32 | S | | | |
| 301048 | 130 | 352 | 18 x 12 | 108 | n/a | n/a | 200 | 2 | 400 | 40 | S | 92 | 70 | 99 |
| 367352 | | | 18 x 12 | 108 | 15,000 | 8 | n/a | n/a | n/a | n/a | S | | | |
| 301049 | | | 19 x 13 | 124 | n/a | n/a | 200 | 2 | 400 | 30 | S | | | |
| 310938 | | | 20.75 x 29.5 | 306 | 2500 | 1 | n/a | n/a | n/a | n/a | L | | | |

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

BLAZER DIGITAL®

| MATERIAL NUMBER | BASIS WT. | GSM | SIZE | M.WT. | SHEETS/SKID | TIERS | SHEETS/PACKAGE | PACKAGES/CARTON | SHEETS/CARTON | CARTON/PALLET | GRAIN | BRIGHTNESS | GLOSS | OPACITY | |
|--------------------|----------------|-----|--------------|-------|-------------|-------|----------------|-----------------|---------------|---------------|-------|------------|-------|---------|--|
| SATIN TEXT | | | | | | | | | | | | | | | |
| 308176 | | | 12 x 18 | 32 | n/a | n/a | 600 | 3 | 1800 | 40 | L | | | | |
| 308177 | 70 | 104 | 13 x 19 | 36 | n/a | n/a | 600 | 3 | 1800 | 30 | L | 92 | 35 | 92 | |
| 312430 | | | 29.5 x 20.75 | 90 | 10,000 | 1 | n/a | n/a | n/a | n/a | S | | | | |
| 279621 | | | 11 x 17 | 31 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | | |
| 279622 | | | 12 x 18 | 36 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | | |
| 312444 | | | 12 x 18 | 36 | 32,000 | 4 | n/a | n/a | n/a | n/a | L | | | | |
| 279623 | 80 | 118 | 13 x 19 | 42 | n/a | n/a | 500 | 3 | 1500 | 30 | L | 92 | 35 | 93.5 | |
| 279624 | | | 14 x 20 | 47 | n/a | n/a | 600 | 2 | 1200 | 25 | L | | | | |
| 339441 | | | 14.33 x 26 | 63 | n/a | n/a | n/a | n/a | 1000 | 32 | L | | | | |
| 308067 | | | 29.5 x 20.75 | 103 | 6500 | 1 | n/a | n/a | n/a | n/a | S | | | | |
| 279625 | | | 11 x 17 | 39 | n/a | n/a | 500 | 3 | 1500 | 40 | L | | | | |
| 279626 | | | 12 x 18 | 45 | n/a | n/a | 500 | 2 | 1000 | 40 | L | | | | |
| 312446 | | | 12 x 18 | 45 | 25,000 | 4 | n/a | n/a | n/a | n/a | L | | | | |
| 279627 | 100 | 148 | 13 x 19 | 52 | n/a | n/a | 500 | 2 | 1000 | 30 | L | 92 | 35 | 95.5 | |
| 279628 | | | 14 x 20 | 59 | n/a | n/a | 500 | 2 | 1000 | 25 | L | | | | |
| 339442 | | | 14.33 x 26 | 78 | n/a | n/a | n/a | n/a | 800 | 32 | L | | | | |
| 308068 | | | 29.5 x 20.75 | 129 | 5500 | 1 | n/a | n/a | n/a | n/a | S | | | | |
| SATIN COVER | | | | | | | | | | | | | | | |
| 344290 | | | 18 x 12 | 54 | n/a | n/a | 400 | 2 | 800 | 40 | S | | | | |
| 344291 | 65 (7 pt.)* | 176 | 19 x 13 | 62 | n/a | n/a | 400 | 2 | 800 | 30 | S | 92 | 35 | 98 | |
| 348208 | | | 20.75 x 29.5 | 153 | 4500 | 1 | n/a | n/a | n/a | n/a | L | | | | |
| 279629 | | | 17 x 11 | 58 | n/a | n/a | 250 | 3 | 750 | 40 | S | | | | |
| 279631 | | | 18 x 12 | 66 | n/a | n/a | 250 | 3 | 750 | 40 | S | | | | |
| 312448 | | | 18 x 12 | 66 | 15,000 | 4 | n/a | n/a | n/a | n/a | S | | | | |
| 279642 | 80 (9 pt.)* | 216 | 19 x 13 | 76 | n/a | n/a | 250 | 3 | 750 | 30 | S | 92 | 35 | 98 | |
| 279643 | | | 20 x 14 | 86 | n/a | n/a | 250 | 3 | 750 | 25 | S | | | | |
| 308071 | | | 20.75 x 29.5 | 188 | 3000 | 1 | n/a | n/a | n/a | n/a | L | | | | |
| 339453 | | | 26 x 14.33 | 115 | n/a | n/a | n/a | n/a | 500 | 32 | S | | | | |
| 279494 | | | 17 x 11 | 72 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | | |
| 279495 | | | 18 x 12 | 83 | n/a | n/a | 250 | 2 | 500 | 40 | S | | | | |
| 312450 | | | 18 x 12 | 83 | 14,000 | 4 | n/a | n/a | n/a | n/a | S | | | | |
| 279496 | 100 | 271 | 19 x 13 | 95 | n/a | n/a | 250 | 2 | 500 | 30 | S | 92 | 35 | 99 | |
| 279497 | | | 20 x 14 | 108 | n/a | n/a | 250 | 2 | 500 | 25 | S | | | | |
| 308072 | | | 20.75 x 29.5 | 235 | 2500 | 1 | n/a | n/a | n/a | n/a | L | | | | |
| 339454 | | | 26 x 14.33 | 143 | n/a | n/a | n/a | n/a | 400 | 32 | S | | | | |
| 290284 | | | 18 x 12 | 91 | n/a | n/a | 200 | 3 | 600 | 40 | S | | | | |
| 312492 | | | 18 x 12 | 91 | 11,000 | 4 | n/a | n/a | n/a | n/a | S | | | | |
| 290285 | 110 | 297 | 19 x 13 | 105 | n/a | n/a | 200 | 3 | 600 | 30 | S | 92 | 35 | 99 | |
| 311400 | | | 20.75 x 29.5 | 259 | 2500 | 1 | n/a | n/a | n/a | n/a | L | | | | |
| 339463 | | | 26 x 14.33 | 158 | n/a | n/a | n/a | n/a | 400 | 32 | S | | | | |
| 301140 | | | 18 x 12 | 108 | n/a | n/a | 200 | 2 | 400 | 40 | S | | | | |
| 301047 | 130 | 352 | 19 x 13 | 124 | n/a | n/a | 200 | 2 | 400 | 30 | S | 92 | 35 | 99 | |
| 310940 | | | 20.75 x 29.5 | 306 | 2000 | 1 | n/a | n/a | n/a | n/a | L | | | | |

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.



Verso Corporation
8540 Gander Creek Drive
Miamisburg, OH 45342
800-258-8852
versoco.com



Cover pages printed on **Futura**® Gloss, 100 lb. cover.
Text pages printed on **Futura**® Gloss, 100 lb. text.