



Futura®
Sterling® Premium Digital™
Sterling® Premium Digital™ for HP Indigo
Productolith Pts. Digital®
Blazer Digital®

DIGITAL STOCKING GUIDE



FUTURA®

Results that rival offset

Superior toner adhesion and 96 brightness – averaging up to 10% higher than the competition across all basis weights – puts Futura® in a class by itself. It's your go-to choice for high-end projects that require results that rival conventional offset printing. Designed with a patented, coated surface, Futura® offers users peace of mind with jam-free runnability and printability for unsurpassed productivity to meet the tough standards set by Xerox, HP, Kodak, Canon and other OEMs. With three chain-of-custody certifications, it's available in an assortment of finishes and weights.

APPLICATIONS

- High-end marketing collateral, advertising, annual reports and photo books
- On demand printing of any kind, including variable imaging
- Short run catalogs and magazines
- Brochures, flyers and sell sheets
- On demand books
- Business cards
- Postcards
- Direct mail
- Prepress applications

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

FINISH	BRIGHTNESS	GLOSS	TEXT WEIGHT	COVER WEIGHT
GLOSS	96	65	80, 100	80*, 100**, 120
DULL	96	32	80, 100	80*, 100**, 120
MATTE	96	15	80, 100	80**, 100

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Futura® products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC®, PEFC™ or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

FUTURA®

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/ PACKAGE	PACKAGES/ CARTON	SHEETS/ CARTON	CARTONS/ PALLET	GRAIN	BRIGHTNESS	GLOSS	OPACITY
GLOSS TEXT												
403486	80	118	8.5 x 11	16	500	8	4000	40	L	96	65	93.5
403484			17 x 11	31	500	4	2000	40	S			
403483			18 x 12	36	500	4	2000	40	S			
403485			12 x 18	36	500	4	2000	40	L			
403943			19 x 13	42	500	3	1500	30	S			
403482			20.5 x 14.33	49	500	2	1000	40	S			
286415			26 x 14	61	n/a	n/a	1200	24	S			
360264			26 x 14.33	63	n/a	n/a	1000	32	S			
403481			8.5 x 11	20	500	6	3000	40	L			
403480			17 x 11	39	500	3	1500	40	S			
403479	18 x 12	45	500	3	1500	40	S					
405128	100	148	19 x 13	52	400	3	1200	30	S	96	65	95
403478			20.5 x 14.33	62	400	2	800	40	S			
286359			26 x 14	77	n/a	n/a	1000	24	S			
360265			26 x 14.33	78	n/a	n/a	800	32	S			
GLOSS COVER												
403496	80 (7 pt.)	216	8.5 x 11	29	250	8	2000	40	L	96	65	98.5
403495			17 x 11	57	250	4	1000	40	S			
403494			18 x 12	66	250	4	1000	40	S			
403941			19 x 13	76	250	3	750	30	S			
403493			20.5 x 14.33	90	250	2	500	40	S			
286361			26 x 14	112	n/a	n/a	600	24	S			
360266			26 x 14.33	115	n/a	n/a	500	32	S			
403492	100 (9 pt.)	271	17 x 11	72	250	3	750	40	S	96	65	99
403491			18 x 12	83	250	3	750	40	S			
403490			19 x 13	95	200	3	600	30	S			
403489			20.5 x 14.33	113	200	2	400	40	S			
286413			26 x 14	140	n/a	n/a	500	24	S			
360267			26 x 14.33	143	n/a	n/a	400	32	S			
403488			18 x 12	100	200	2	400	40	S			
403540	120	326	19 x 13	114	200	3	600	30	S	96	65	99
403487			20.5 x 14.33	135	200	2	400	40	S			
360259			26 x 14.33	172	n/a	n/a	350	32	S			

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

26 x 14 items are not ream wrapped.

Futura® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Futura® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information. Verso is an Alliance One Select Member for Graphic Arts.

FUTURA®

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/ PACKAGE	PACKAGES/ CARTON	SHEETS/ CARTON	CARTONS/ PALLET	BRIGHTNESS	GRAIN	GLOSS	OPACITY					
DULL TEXT																	
403471	80	118	8.5 x 11	16	500	8	4000	40	L	96	32	93.5					
403469			17 x 11	31	500	4	2000	40	S								
403468			18 x 12	36	500	4	2000	40	S								
403470			12 x 18	36	500	4	2000	40	L								
403539			19 x 13	42	400	4	1600	30	S								
403467			20.5 x 14.33	49	500	2	1000	40	S								
289368			26 x 14	61	n/a	n/a	1200	24	S								
360257			26 x 14.33	63	n/a	n/a	1000	32	S								
403466	100	148	8.5 x 11	20	500	6	3000	40	L	96	32	95					
403465			17 x 11	39	500	3	1500	40	S								
403464			18 x 12	45	500	3	1500	40	S								
403538			19 x 13	52	400	3	1200	30	S								
403463			20.5 x 14.33	62	400	2	800	40	S								
289370			26 x 14	77	n/a	n/a	1000	24	S								
360260			26 x 14.33	78	n/a	n/a	800	32	S								
DULL COVER																	
403477	80 (7 pt.)	216	8.5 x 11	29	250	8	2000	40	L	96	32	98.5					
403476			17 x 11	57	250	4	1000	40	S								
403475			18 x 12	66	250	4	1000	40	S								
403537			19 x 13	76	250	3	750	30	S								
403474			20.5 x 14.33	90	250	2	500	40	S								
289369			26 x 14	112	n/a	n/a	600	24	S								
360258			26 x 14.33	115	n/a	n/a	500	32	S								
403473			100 (9 pt.)	271	18 x 12	83	250	3	750				40	S	96	32	99
403536	19 x 13	95			200	3	600	30	S								
342343	20.5 x 14.33	113			200	2	400	40	S								
289522	26 x 14	140			n/a	n/a	500	24	S								
360538	26 x 14.33	140			n/a	n/a	500	24	S								
290313	120	326			18 x 12	100	200	2	400	40	S	96	32	99			
290314					19 x 13	114	200	3	600	30	S						
290315					20.5 x 14.33	135	200	2	400	40	S						
360261			26 x 14.33	172	n/a	n/a	350	32	S								
MATTE TEXT																	
403500	80	118	18 x 12	36	500	3	1500	40	S	96	15	93.5					
403498	100	148	18 x 12	45	400	3	1200	40	S	96	15	95					
MATTE COVER																	
403505	80 (9 pt.)	216	18 x 12	66	250	3	750	40	S	96	15	98.5					
403503			20.5 x 14.33	90	250	2	500	40	S								
403502	100	271	18 x 12	83	200	3	600	40	S	96	15	99					
403544			19 x 13	95	200	3	600	30	S								
403501			20.5 x 14.33	113	200	2	400	40	S								

STERLING® PREMIUM DIGITAL™

Premium optics, budget-friendly

With 96 brightness and an exceptional printing surface, Sterling® Premium Digital™ is the digital premium without the premium price tag. It's the same legendary Sterling® standard you know and trust for steadfast consistency, tried-and-true reliability on press and budget-friendly pricing. Available in a full range of finishes, weights and sizes, there's even a version made specifically for HP Indigo presses.

APPLICATIONS

- Flyers
- Newsletters
- Posters
- Direct mail
- Books
- Brochures
- Invitations
- Presentations

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

FINISH	BRIGHTNESS	GLOSS	TEXT WEIGHT	COVER WEIGHT
GLOSS	96	74	80, 100	80", 100", 120
SILK	96	45	80, 100	80", 100", 120
MATTE	96	30	80	80"

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

Sterling® Premium is the matching offset grade to Sterling® Premium Digital™ for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Sterling® Premium Digital™ products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Sterling® Premium Digital™ products with 10% post-consumer recycled fiber content.

Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

STERLING® PREMIUM DIGITAL™

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/ PACKAGE	PACKAGES/ CARTON	SHEETS/ CARTON	CARTONS/ PALLET	GRAIN	BRIGHT-NESS	GLOSS	OPACITY
GLOSS TEXT												
283618	80	118	8.5 x 11	16	500	6	3000	40	L	96	74	94.5
283604			11 x 17	31	500	3	1500	40	L			
283617			12 x 18	36	500	3	1500	40	L			
283620			13 x 19	42	500	3	1500	30	L			
283619			14 x 20	47	600	2	1200	25	L			
283682	100	148	8.5 x 11	20	400	6	2400	40	L	96	74	96
283681			11 x 17	39	500	3	1500	40	L			
283611			12 x 18	45	500	2	1000	40	L			
283683			13 x 19	52	500	2	1000	30	L			
283684			14 x 20	59	500	2	1000	25	L			
GLOSS COVER												
283669	80 (7 pt.)	216	8.5 x 11	29	250	6	1500	40	L	96	74	98
283668			11 x 17	58	250	3	750	40	L			
283673			17 x 11	58	250	3	750	40	S			
283608			18 x 12	66	250	3	750	40	S			
283671			19 x 13	76	250	3	750	30	S			
283672			20 x 14	86	250	3	750	25	S			
283670			20.5 x 14.33	90	250	3	750	40	S			
283693	100 (9 pt.)	271	8.5 x 11	36	200	6	1200	40	L	96	74	99
283691			11 x 17	72	250	2	500	40	L			
283696			17 x 11	72	250	2	500	40	S			
283613			18 x 12	83	250	2	500	40	S			
283694			19 x 13	95	250	2	500	30	S			
283692			20 x 14	108	250	2	500	25	S			
283695	20.5 x 14.33	113	200	3	600	40	S					
283615	120	326	18 x 12	100	200	2	400	40	L	96	74	99
283700			20 x 14	129	200	2	400	25	S			

STERLING® PREMIUM DIGITAL™

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/ PACKAGE	PACKAGES/ CARTON	SHEETS/ CARTON	CARTONS/ PALLET	GRAIN	BRIGHTNESS	GLOSS	OPACITY
SILK TEXT												
283662	80	118	11 x 17	31	500	3	1500	40	L	96	45	94.5
283605			12 x 18	36	500	3	1500	40	L			
283664			18 x 12	36	500	3	1500	40	S			
283144			13 x 12	42	500	3	1500	30	L			
283663			14 x 20	47	600	2	1200	25	L			
283687	100	148	11 x 17	39	500	3	1500	40	L	96	45	96
283612			12 x 18	45	500	2	1000	40	L			
283689			18 x 12	45	500	2	1000	40	S			
283690			13 x 12	52	500	2	1000	30	L			
283688			14 x 20	59	500	2	1000	25	L			
SILK COVER												
283676	80 (7 pt.)	216	17 x 11	58	250	3	750	40	S	96	45	98
283609			18 x 12	66	250	3	750	40	S			
283675			19 x 13	76	250	3	750	30	S			
283674			20 x 14	86	250	3	750	25	S			
283699			17 x 11	72	250	2	500	40	S			
283614	100 (9 pt.)	271	18 x 12	83	250	2	500	40	S	96	45	99
283698			19 x 13	95	250	2	500	30	S			
283697			20 x 14	108	250	2	500	25	S			
283616	120	326	18 x 12	100	200	2	400	40	S	96	45	99
283701			20 x 14	129	200	2	400	25	S			
MATTE TEXT												
283607	80	118	11 x 17	31	500	3	1500	40	L	96	30	94.5
283665			12 x 18	36	500	3	1500	40	L			
MATTE COVER												
283679	80 (9 pt.)	216	17 x 11	58	250	3	750	40	S	96	30	98
283610			18 x 12	66	250	3	750	40	S			

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

♻️ Sterling® Ultra Digital™ with 10% post-consumer recycled fiber.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Sterling® Premium Digital™ is not certified to run on HP Indigo equipment. Please refer to Sterling® Premium Digital™ for HP Indigo for suitable stock selections.

Use of this product on slower equipment (< 24 ppm) is at the customer's own risk.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.

STERLING® PREMIUM DIGITAL™ FOR HP INDIGO

Designed to run

The counterpart to Sterling® Premium Digital™, this product has an exceptional surface designed specifically for optimal press performance on HP Indigo equipment. It delivers the same steadfast consistency and tried-and-true performance you have come to rely on from the legendary Sterling® digital brand. Now, with a 96 brightness, premium optics and budget-friendly pricing.

APPLICATIONS

- Flyers
- Newsletters
- Posters
- Direct mail
- Books
- Brochures
- Invitations
- Presentations

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- HP Indigo certified by the Rochester Institute of Technology

SPECIFICATIONS

FINISH	BRIGHTNESS	GLOSS	TEXT WEIGHT	COVER WEIGHT
GLOSS	96	74	80, 100	80*, 100**, 120
SILK	96	45	80, 100	80*, 100**, 120

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications.

Sterling® Premium is the matching offset grade to Sterling® Premium Digital™ for HP Indigo for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Sterling® Premium Digital™ for HP Indigo products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Sterling® Premium Digital™ for HP Indigo products with 10% post-consumer recycled fiber content.

Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

STERLING® PREMIUM DIGITAL™

For HP Indigo

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/ SKID	TIERS	SHEETS/ PACKAGE	PACKAGES/ CARTON	SHEETS/ CARTON	CARTONS/ PALLET	GRAIN	BRIGHTNESS	GLOSS	OPACITY
GLOSS TEXT														
283253			12 x 18	36	n/a	n/a	500	3	1500	40	L			
283247			13 x 19	42	n/a	n/a	500	3	1500	30	L			
304119	80	118	29.5 x 20.75	103	n/a	n/a	n/a	n/a	1000	20	S	96	74	94.5
359522			29.5 x 20.75	103	8000	1	n/a	n/a	n/a	n/a	S			
283250			12 x 18	45	n/a	n/a	500	2	1000	40	L			
283251			13 x 19	52	n/a	n/a	500	2	1000	30	L			
304120	100	148	29.5 x 20.75	129	n/a	n/a	n/a	n/a	800	20	S	96	74	96
359140			29.5 x 20.75	129	7000	1	n/a	n/a	n/a	n/a	S			
GLOSS COVER														
283255			18 x 12	66	n/a	n/a	250	3	750	40	S			
283260	80	216	19 x 13	76	n/a	n/a	250	3	750	30	S	96	74	98
304121	(7 pt.)		20.75 x 29.5	188	n/a	n/a	n/a	n/a	500	20	L			
359523			20.75 x 29.5	188	4000	1	n/a	n/a	n/a	n/a	L			
283252			18 x 12	83	n/a	n/a	250	2	500	40	S			
282408	100	271	19 x 13	95	n/a	n/a	250	2	500	30	S	96	74	99
304123	(9 pt.)		20.75 x 29.5	235	n/a	n/a	n/a	n/a	450	20	L			
359141			20.75 x 29.5	235	3000	1	n/a	n/a	n/a	n/a	L			
289779			18 x 12	100	n/a	n/a	200	2	400	40	S			
289787	120	326	19 x 13	114	n/a	n/a	200	2	400	30	S	96	74	99
304124			20.75 x 29.5	283	n/a	n/a	n/a	n/a	350	20	L			
SILK TEXT														
283249			12 x 18	36	n/a	n/a	500	3	1500	40	L			
283248			13 x 19	42	n/a	n/a	500	3	1500	30	L			
304113	80	118	29.5 x 20.75	103	n/a	n/a	n/a	n/a	1000	20	S	96	45	94.5
359138			29.5 x 20.75	103	8000	1	n/a	n/a	n/a	n/a	S			
283257			12 x 18	45	n/a	n/a	500	2	1000	40	L			
283262			13 x 19	52	n/a	n/a	500	2	1000	30	L			
304114	100	148	29.5 x 20.75	129	n/a	n/a	n/a	n/a	800	20	S	96	45	96
359136			29.5 x 20.75	129	7000	1	n/a	n/a	n/a	n/a	S			
SILK COVER														
283256			18 x 12	66	n/a	n/a	250	3	750	40	S			
283261	80	216	19 x 13	76	n/a	n/a	250	3	750	30	S	96	45	98
304116	(7 pt.)		20.75 x 29.5	188	n/a	n/a	n/a	n/a	500	20	L			
359139			20.75 x 29.5	188	4000	1	n/a	n/a	n/a	n/a	L			
283254			18 x 12	83	n/a	n/a	250	2	500	40	S			
283259	100	271	19 x 13	95	n/a	n/a	250	2	500	30	S	96	45	99
304117	(9 pt.)		20.75 x 29.5	235	n/a	n/a	n/a	n/a	450	20	L			
359137			20.75 x 29.5	235	3000	1	n/a	n/a	n/a	n/a	L			
289780			18 x 12	100	n/a	n/a	200	2	400	40	S			
289788	120	326	19 x 13	114	n/a	n/a	200	2	400	30	S	96	45	99
304118			20.75 x 29.5	283	n/a	n/a	n/a	n/a	350	20	L			

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

♻️ Sterling® Ultra Digital™ for HP Indigo with 10% post-consumer recycled fiber.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Sterling® Ultra Digital™ for HP Indigo is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information. Verso is an Alliance One Select Member for Graphic Arts.

PRODUCTOLITH PTS. DIGITAL[®]

The coated SBS Paperboard/Caliper Cover grade for digital

When choosing a coated SBS paperboard, Productolith[®] Pts. is a name you can trust. Our digital version of this classic gives you all the features you've come to expect from the standard Productolith[®] Pts. line. An exceptionally smooth, non-glare finish and whiter-white shade with 92 brightness yields superior printability and premium appearance on digital offset production and color laser. Guaranteed by the top digital equipment manufacturers, it also offers three chain-of-custody environmental certifications.

APPLICATIONS

- Folding cartons
- Cosmetic packaging
- Software packaging
- Table tents
- On demand printing
- Pocket folders
- Variable imaging
- Postcards
- Direct mail
- Business cards
- Menus
- Tags, Tickets and Labels
- Book covers

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology on both the coated and uncoated sides
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

FINISH	BRIGHTNESS	GLOSS	CALIPER [^]
C1S	92	45	10 pt., 12 pt., 14 pt., 16 pt.
C2S	92	45	10 pt., 12 pt., 14 pt., 16 pt.

[^] Caliper is guaranteed.

Productolith[®] Pts. is the matching grade to Productolith Pts. Digital[®] for sheetfed and web applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Productolith Pts. Digital[®] products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC[®], PEFC[™], or SFI[®] from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

PRODUCTOLITH PTS. DIGITAL®

MATERIAL NUMBER	BOARD CALIPER [^]	WT.	GSM	SIZE	M. WT.	SHEETS/SKID	TIERS	SHEETS/PACKAGE	PACKAGES/CARTON	SHEETS/CARTON	CARTONS/PALLET	BRIGHTNESS	GLOSS	OPACITY
C1S														
269515				18 x 12	67	n/a	n/a	200	4	800	40	S		
274147	10 pt.	134	218	19 x 13	76	n/a	n/a	200	4	800	30	S	92	45 98
311497				20.75 x 29.5	190	3000	1	n/a	n/a	n/a	n/a	L		
269518				18 x 12	79	n/a	n/a	200	3	600	40	S		
274149	12 pt.	157	256	19 x 13	90	n/a	n/a	200	3	600	30	S	92	45 99
311499				20.75 x 29.5	222	2500	1	n/a	n/a	n/a	n/a	L		
269521				18 x 12	93	n/a	n/a	150	3	450	40	S	92	45 99
274151	14 pt.	186	302	19 x 13	106	n/a	n/a	200	3	600	30	S		
354088				18 x 12	101	n/a	n/a	150	3	450	40	S		
354424	16 pt.	201	327	19 x 13	115	n/a	n/a	200	2	400	30	S	92	45 99
361824				20.75 x 29.5	285	2000	1	n/a	n/a	n/a	n/a	L		
C2S														
269524				18 x 12	73	n/a	n/a	200	4	800	40	S		
274152	10 pt.	145	236	19 x 13	83	n/a	n/a	200	4	800	30	S	92	45 97.5
311498				20.75 x 29.5	205	3000	1	n/a	n/a	n/a	n/a	L		
269526				18 x 12	85	n/a	n/a	200	3	600	40	S		
273739 [§]				18 x 12	85	22,000	1	n/a	n/a	n/a	n/a	S		
274154	12 pt.	170	277	19 x 13	97	n/a	n/a	200	3	600	30	S	92	45 98
311500				20.75 x 29.5	241	2500	1	n/a	n/a	n/a	n/a	L		
286466				18 x 12	98	n/a	n/a	150	3	450	40	S	92	45 99
286468	14 pt.	196	318	19 x 13	112	n/a	n/a	200	3	600	30	S		
354247				18 x 12	107	n/a	n/a	150	3	450	40	S		
354427	16 pt.	214	348	19 x 13	122	n/a	n/a	200	2	400	30	S	92	45 99
361897				20.75 x 29.5	303	2000	1	n/a	n/a	n/a	n/a	L		

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Productolith Pts. Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

[^] Caliper is guaranteed

[§] Material stocked at Sauk Village, Illinois location only

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

- 10 pt. C1S = 134
- 12 pt. C1S = 157
- 14 pt. C1S = 186
- 16 pt. C1S = 201
- 10 pt. C2S = 145
- 12 pt. C2S = 170
- 14 pt. C2S = 196
- 16 pt. C2S = 214

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Productolith Pts. Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

BLAZER DIGITAL®

Our value option

Blazer Digital® is an economical 92 bright coated digital paper with weight and finish choices similar to conventional folio formats. Offered in gloss and satin, text and cover weights, it provides good performance on dry and liquid toner, production color laser printers and digital offset technologies. With three chain-of-custody certifications and approved by equipment manufacturers, Blazer Digital® offers yet another choice for digital applications.

APPLICATIONS

- On demand printing
- Brochures, flyers and sell sheets
- Variable imaging
- Postcards
- Direct mail
- Short run catalogs and magazines
- On demand books

GUARANTEED FOR DIGITAL OFFSET AND PRODUCTION LASER EQUIPMENT

- Guaranteed for the Xerox iGen series
- HP Indigo certified by Rochester Institute of Technology
- Kodak NexPress qualified by Rochester Institute of Technology

SPECIFICATIONS

FINISH	BRIGHTNESS	GLOSS	TEXT WEIGHT	COVER WEIGHT
GLOSS	92	70	70, 80, 100	65, 80*, 100**, 110, 130
SATIN	92	35	70, 80, 100	65*, 80**, 100, 110, 130

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. Anthem Plus® is the matching offset grade to Blazer Digital® for sheetfed applications.

ENVIRONMENTAL CERTIFICATIONS

Buyers of Blazer Digital® products have the confidence of knowing they support responsible forest management because this product line carries three chain-of-custody certifications.



Customers have the option to use on-product labeling for FSC®, PEFC™, or SFI® from all of our mills. Please specify at time of order. This product complies with Lacey Act requirements.

BLAZER DIGITAL®

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/SKID	TIERS	SHEETS/PACKAGE	PACKAGES/CARTON	SHEETS/CARTON	CARTON/PALLET	GRAIN	BRIGHTNESS	GLOSS	OPACITY
GLOSS TEXT														
308174	70	104	12 x 18	32	n/a	n/a	600	3	1800	40	L	92	70	90
308175			13 x 12	36	n/a	n/a	600	3	1800	30	L			
312428			29.5 x 20.75	90	10,000	1	n/a	n/a	n/a	n/a	S			
279498	80	118	11 x 17	31	n/a	n/a	500	3	1500	40	L	92	70	93.5
279499			12 x 18	36	n/a	n/a	500	3	1500	40	L			
312443			12 x 18	36	32,000	4	n/a	n/a	n/a	n/a	L			
279500			13 x 19	42	n/a	n/a	500	3	1500	30	L			
279501			14 x 20	47	n/a	n/a	600	2	1200	25	L			
339437			14.33 x 26	63	n/a	n/a	n/a	n/a	1000	32	L			
308065			29.5 x 20.75	103	8000	1	n/a	n/a	n/a	n/a	S			
279652			11 x 17	39	n/a	n/a	500	3	1500	40	L			
279653			12 x 18	45	n/a	n/a	500	2	1000	40	L			
312445			12 x 18	45	25,000	4	n/a	n/a	n/a	n/a	L			
279654	100	148	13 x 19	52	n/a	n/a	500	2	1000	30	L	92	70	95.5
279655			14 x 20	59	n/a	n/a	500	2	1000	25	L			
339438			14.33 x 26	78	n/a	n/a	n/a	n/a	800	32	L			
308066			29.5 x 20.75	129	7000	1	n/a	n/a	n/a	n/a	S			
GLOSS COVER														
342600	65	176	18 x 12	54	n/a	n/a	400	2	800	40	S	92	70	97
342530			19 x 13	62	n/a	n/a	400	2	800	30	S			
348207			20.75 x 29.5	153	5500	1	n/a	n/a	n/a	n/a	L			
279656	80 (7 pt.)	216	17 x 11	58	n/a	n/a	250	3	750	40	S	92	70	98
279657			18 x 12	66	n/a	n/a	250	3	750	40	S			
312447			18 x 12	66	15,000	4	n/a	n/a	n/a	n/a	S			
279658			19 x 13	76	n/a	n/a	250	3	750	30	S			
279659			20 x 14	86	n/a	n/a	250	3	750	25	S			
308069			20.75 x 29.5	188	4000	1	n/a	n/a	n/a	n/a	L			
339439			26 x 14.33	115	n/a	n/a	n/a	n/a	500	32	S			
279660			17 x 11	72	n/a	n/a	250	2	500	40	S			
279661			18 x 12	83	n/a	n/a	250	2	500	40	S			
312449			18 x 12	83	14,000	4	n/a	n/a	n/a	n/a	S			
279662	100 (9 pt.)	271	19 x 13	95	n/a	n/a	250	2	500	30	S	92	70	99
348649			19 x 13	95	17,500	6	n/a	n/a	n/a	n/a	S			
279663			20 x 14	108	n/a	n/a	250	2	500	25	S			
308070			20.75 x 29.5	235	3000	1	n/a	n/a	n/a	n/a	L			
306405			26 x 14.33	143	n/a	n/a	n/a	n/a	400	32	S			
290282			18 x 12	91	n/a	n/a	200	3	600	40	S			
312451			18 x 12	91	11,000	4	n/a	n/a	n/a	n/a	S			
290283	110	297	19 x 13	105	n/a	n/a	200	3	600	30	S	92	70	99
311399			20.75 x 29.5	259	3000	1	n/a	n/a	n/a	n/a	L			
339462			26 x 14.33	158	n/a	n/a	n/a	n/a	400	32	S			
301048	130	352	18 x 12	108	n/a	n/a	200	2	400	40	S	92	70	99
367352			18 x 12	124	15,000	8	n/a	n/a	n/a	n/a	S			
301049			19 x 13	124	n/a	n/a	200	2	400	30	S			
310938			20.75 x 29.5	306	2500	1	n/a	n/a	n/a	n/a	L			

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

BLAZER DIGITAL®

MATERIAL NUMBER	BASIS WT.	GSM	SIZE	M.WT.	SHEETS/SKID	TIERS	SHEETS/PACKAGE	PACKAGES/CARTON	SHEETS/CARTON	CARTON/PALLET	GRAIN	BRIGHTNESS	GLOSS	OPACITY	
SATIN TEXT															
308176			12 x 18	32	n/a	n/a	600	3	1800	40	L				
308177	70	104	13 x 19	36	n/a	n/a	600	3	1800	30	L	92	35	92	
312430			29.5 x 20.75	90	10,000	1	n/a	n/a	n/a	n/a	S				
279621			11 x 17	31	n/a	n/a	500	3	1500	40	L				
279622			12 x 18	36	n/a	n/a	500	3	1500	40	L				
312444			12 x 18	36	32,000	4	n/a	n/a	n/a	n/a	L				
279623	80	118	13 x 19	42	n/a	n/a	500	3	1500	30	L	92	35	93.5	
279624			14 x 20	47	n/a	n/a	600	2	1200	25	L				
339441			14.33 x 26	63	n/a	n/a	n/a	n/a	1000	32	L				
308067			29.5 x 20.75	103	6500	1	n/a	n/a	n/a	n/a	S				
279625			11 x 17	39	n/a	n/a	500	3	1500	40	L				
279626			12 x 18	45	n/a	n/a	500	2	1000	40	L				
312446			12 x 18	45	25,000	4	n/a	n/a	n/a	n/a	L				
279627	100	148	13 x 19	52	n/a	n/a	500	2	1000	30	L	92	35	95.5	
279628			14 x 20	59	n/a	n/a	500	2	1000	25	L				
339442			14.33 x 26	78	n/a	n/a	n/a	n/a	800	32	L				
308068			29.5 x 20.75	129	5500	1	n/a	n/a	n/a	n/a	S				
SATIN COVER															
344290			18 x 12	54	n/a	n/a	400	2	800	40	S				
344291	65 (7 pt.)*	176	19 x 13	62	n/a	n/a	400	2	800	30	S	92	35	98	
348208			20.75 x 29.5	153	4500	1	n/a	n/a	n/a	n/a	L				
279629			17 x 11	58	n/a	n/a	250	3	750	40	S				
279631			18 x 12	66	n/a	n/a	250	3	750	40	S				
312448			18 x 12	66	15,000	4	n/a	n/a	n/a	n/a	S				
279642	80 (9 pt.)*	216	19 x 13	76	n/a	n/a	250	3	750	30	S	92	35	98	
279643			20 x 14	86	n/a	n/a	250	3	750	25	S				
308071			20.75 x 29.5	188	3000	1	n/a	n/a	n/a	n/a	L				
339453			26 x 14.33	115	n/a	n/a	n/a	n/a	500	32	S				
279494			17 x 11	72	n/a	n/a	250	2	500	40	S				
279495			18 x 12	83	n/a	n/a	250	2	500	40	S				
312450			18 x 12	83	14,000	4	n/a	n/a	n/a	n/a	S				
279496	100	271	19 x 13	95	n/a	n/a	250	2	500	30	S	92	35	99	
279497			20 x 14	108	n/a	n/a	250	2	500	25	S				
308072			20.75 x 29.5	235	2500	1	n/a	n/a	n/a	n/a	L				
339454			26 x 14.33	143	n/a	n/a	n/a	n/a	400	32	S				
290284			18 x 12	91	n/a	n/a	200	3	600	40	S				
312492			18 x 12	91	11,000	4	n/a	n/a	n/a	n/a	S				
290285	110	297	19 x 13	105	n/a	n/a	200	3	600	30	S	92	35	99	
311400			20.75 x 29.5	259	2500	1	n/a	n/a	n/a	n/a	L				
339463			26 x 14.33	158	n/a	n/a	n/a	n/a	400	32	S				
301140			18 x 12	108	n/a	n/a	200	2	400	40	S				
301047	130	352	19 x 13	124	n/a	n/a	200	2	400	30	S	92	35	99	
310940			20.75 x 29.5	306	2000	1	n/a	n/a	n/a	n/a	L				

All items subject to change. For current stocking information, contact your local Verso Merchant Representative.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.



Verso Corporation
8540 Gander Creek Drive
Miamisburg, OH 45342
800-258-8852
versoco.com



Cover pages printed on **Futura**® Gloss, 100 lb. cover.
Text pages printed on **Futura**® Gloss, 100 lb. text.