



Stocking Guide

COMMERCIAL & DIGITAL PRINTING

Web
Sheets
Digital Sheets



Manufactured in the USA with Pride.

Stocking Guide

Contents

SHEETS

Premium Recycled:

Sterling® Premium	
– Gloss Text	4
– Gloss Cover	5
– Silk Text	6
– Silk Cover	7

Economy:

Anthem Plus®	
– Gloss Text	8
– Gloss Cover	10
– Satin Text	12
– Satin Cover	14

SBS Paperboard/Caliper Cover:

Productolith® Pts.	
– C1S	16
– C2S	17

Coated One Side:

Sterling® Ultra C1S	18
OptiLitho™ C1S	19

WEB

No. 2 Freesheet:

Sterling® Ultra	
– Gloss Text	21
– Gloss Cover	22
– Dull Text	23
– Dull Cover	24
– Matte Text	25
– Matte Cover	26

No. 3 Freesheet:

Influence®	
– Gloss Text	27
– Gloss Cover	30
– Soft-Gloss Text	31
– Matte Text	32
– Matte Cover	33
– Matte Reply Card	34

No. 4 Groundwood

Liberty®	
– Gloss Text	35
– Dull Text	36
– Matte Text	37

DIGITAL SHEETS

Premium Recycled:

Sterling® Premium Digital™	
– Gloss Text	39
– Gloss Cover	40
– Silk Text	41
– Silk Cover	42

Economy:

Blazer Digital®	
– Gloss Text	43
– Gloss Cover	44
– Satin Text	45
– Satin Cover	46

SBS Paperboard/Caliper Cover:

Productolith Pts. Digital®	
– C1S	47
– C2S	48

Sheets

PREMIUM RECYCLED

Sterling® Premium Gloss Text

material number	basis wt.	gsm	size	m.wt.	pack^	sheets	grain	color	cartons/ pallet	bright- ness	gloss	opacity
281444	80	118	23 x <u>35</u>	136	C	1200	L	White	16	95	72	94.5
281447			28 x <u>40</u>	188		800	L	White	12			
281564	80	118	23 x <u>35</u>	136	M	8500	L	White	n/a	95	72	94.5
281565			24 x <u>36</u>	146		8500	L	White	n/a			
281566			25 x <u>38</u>	160		8500	L	White	n/a			
281567			28 x <u>40</u>	188		8500	L	White	n/a			
281381	100	148	23 x <u>35</u>	169	C	900	L	White	16	95	72	96
281383			25 x <u>38</u>	200		800	L	White	16			
281568	100	148	23 x <u>35</u>	169	M	7000	L	White	n/a	95	72	96
281569			24 x <u>36</u>	182		7000	L	White	n/a			
281570			25 x <u>38</u>	200		7000	L	White	n/a			
281571			28 x <u>40</u>	236		7000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Sterling® Premium is acid free, designed for permanence. Sterling® Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

PREMIUM RECYCLED

Sterling® Premium Gloss Cover

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
280851	80 (7 pt.)*	216	19 x <u>25</u>	146	C	1100	L	White	16	95	72	98
281351			20 x <u>26</u>	160		1000	L	White	16			
281353			23 x <u>35</u>	248		600	L	White	16			
281355			25 x <u>38</u>	292		500	L	White	16			
281357			28 X <u>40</u>	344		450	L	White	12			
281476	80 (7 pt.)*	216	19 x <u>25</u>	146	M	9000	L	White	n/a	95	72	98
281546			20 x <u>26</u>	160		9000	L	White	n/a			
281547			23 x <u>35</u>	248		4500	L	White	n/a			
281549			25 x <u>38</u>	292		4500	L	White	n/a			
281550			26 x <u>40</u>	320		4500	L	White	n/a			
281551			28 x <u>40</u>	344		4500	L	White	n/a			
281132	100 (9 pt.)**	271	19 x <u>25</u>	183	C	900	L	White	16	95	72	99
281358			20 x <u>26</u>	200		800	L	White	16			
281360			23 x <u>35</u>	310		500	L	White	16			
281361			25 x <u>38</u>	366		400	L	White	16			
281363			28 x <u>40</u>	430		350	L	White	12			
281477	100 (9 pt.)**	271	19 x <u>25</u>	183	M	8000	L	White	n/a	95	72	99
281552			20 x <u>26</u>	200		8000	L	White	n/a			
281553			23 x <u>35</u>	310		4000	L	White	n/a			
281554			25 x <u>38</u>	366		4000	L	White	n/a			
281555			26 x <u>40</u>	400		4000	L	White	n/a			
281556			28 x <u>40</u>	430		4000	L	White	n/a			
281365	120	326	23 x <u>35</u>	372	C	400	L	White	16	95	72	99
281557	120	326	23 x <u>35</u>	372	M	3500	L	White	n/a	95	72	99
281558			25 x <u>38</u>	438		3500	L	White	n/a			
281560			28 x <u>40</u>	516		3500	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Sterling® Premium is acid free, designed for permanence. Sterling® Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

^ M = Mini Skid

PREMIUM RECYCLED

Sterling® Premium Silk Text

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
280848	80	118	19 x <u>25</u>	80	C	2000	L	White	16	95	45	94.5
281338			23 x <u>35</u>	136		1200	L	White	16			
281339			24 x <u>36</u>	146		1100	L	White	16			
281128	80	118	19 x <u>25</u>	80	M	17000	L	White	n/a	95	45	94.5
281534			23 x <u>35</u>	136		8500	L	White	n/a			
281535			24 x <u>36</u>	146		8500	L	White	n/a			
281536			25 x <u>38</u>	160		8500	L	White	n/a			
281537			28 x <u>40</u>	188		8500	L	White	n/a			
280849	100	148	19 x <u>25</u>	100	C	1600	L	White	16	95	45	96
281342			23 x <u>35</u>	169		900	L	White	16			
281343			24 x <u>36</u>	182		800	L	White	16			
281344			25 x <u>38</u>	200		800	L	White	16			
281345			28 x <u>40</u>	236		700	L	White	12			
281464	100	148	19 x <u>25</u>	100	M	14000	L	White	n/a	95	45	96
281538			23 x <u>35</u>	169		7000	L	White	n/a			
281539			24 x <u>36</u>	182		7000	L	White	n/a			
281540			25 x <u>38</u>	200		7000	L	White	n/a			
281541			28 x <u>40</u>	236		7000	L	White	n/a			

Sheets are made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Sterling® Premium is acid free, designed for permanence. Sterling® Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

PREMIUM RECYCLED

Sterling® Premium Silk Cover

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
280843	80 (7 pt.)*	216	19 x <u>25</u>	146	C	1100	L White	16	95	45	98
281313			20 x <u>26</u>	160		1000	L White	16			
281314			23 x <u>35</u>	248		600	L White	16			
281316			25 x <u>38</u>	292		500	L White	16			
281317			26 x <u>40</u>	320		500	L White	16			
281318			28 x <u>40</u>	344		450	L White	12			
281469	80 (7 pt.)*	216	20 x <u>26</u>	160	M	9000	L White	n/a	95	45	98
281470			23 x <u>35</u>	248		4500	L White	n/a			
281471			25 x <u>38</u>	292		4500	L White	n/a			
281522			26 x <u>40</u>	320		4500	L White	n/a			
281523			28 x <u>40</u>	344		4500	L White	n/a			
280844	100 (9 pt.)	271	19 x <u>25</u>	183	C	900	L White	16	95	45	99
281319			20 x <u>26</u>	200		800	L White	16			
281320			23 x <u>35</u>	310		500	L White	16			
281322			25 x <u>38</u>	366		400	L White	16			
281323			26 x <u>40</u>	400		400	L White	16			
281324			28 x <u>40</u>	430		350	L White	12			
281524	100 (9 pt.)	271	20 x <u>26</u>	200	M	8000	L White	n/a	95	45	99
281525			23 x <u>35</u>	310		4000	L White	n/a			
281526			25 x <u>38</u>	366		4000	L White	n/a			
281527			26 x <u>40</u>	400		4000	L White	n/a			
281528			28 x <u>40</u>	430		4000	L White	n/a			
280845	120	326	20 x <u>26</u>	240	C	600	L White	16	95	45	99
281325			23 x <u>35</u>	372		400	L White	16			
281328			28 x <u>40</u>	516		300	L White	12			
281463	120	326	23 x <u>35</u>	372	M	3500	L White	n/a	95	45	99
281529			26 x <u>40</u>	480		3500	L White	n/a			
281530			28 x <u>40</u>	516		3500	L White	n/a			

Sheets are made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Sterling® Premium is acid free, designed for permanence. Sterling® Premium is manufactured using elemental chlorine-free bleach (ECF), and recycled pulp that is processed chlorine-free (PCF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

^ M = Mini Skid

ECONOMY

Anthem Plus® Gloss Text

material number	basis wt.	gsm	size	m.wt. pack	^ sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
299507	60	89	23 x <u>35</u>	102	M	12000	L	White	n/a	90	65	89
299509			24 x <u>36</u>	110		12000	L	White	n/a			
299511			25 x <u>38</u>	120		12000	L	White	n/a			
299513			28 x <u>40</u>	142		12000	L	White	n/a			
298934	70	104	19 x <u>25</u>	70	C	2200	L	White	16	90	68	92
299308			23 x <u>35</u>	119		1300	L	White	16			
299310			24 x <u>36</u>	128		1300	L	White	16			
299312			25 x <u>38</u>	140		1100	L	White	16			
299314			28 x <u>40</u>	166		1000	L	White	12			
299515	70	104	19 x <u>25</u>	70	M	19000	L	White	n/a	90	68	92
299518			23 x <u>35</u>	119		9500	L	White	n/a			
299520			24 x <u>36</u>	128		9500	L	White	n/a			
299522			25 x <u>38</u>	140		9500	L	White	n/a			
299524			28 x <u>40</u>	166		9500	L	White	n/a			
298981	80	118	19 x <u>25</u>	80	C	2000	L	White	16	90	68	93.5
299321			23 x <u>35</u>	136		1200	L	White	16			
299324			24 x <u>36</u>	146		1100	L	White	16			
299327			25 x <u>38</u>	160		1000	L	White	16			
299333			28 x <u>40</u>	188		800	L	White	12			
299527	80	118	19 x <u>25</u>	80	M	17000	L	White	n/a	90	68	93.5
299535			23 x <u>35</u>	136		8500	L	White	n/a			
299539			24 x <u>36</u>	146		8500	L	White	n/a			
299543			25 x <u>38</u>	160		8500	L	White	n/a			
299549			28 x <u>40</u>	188		8500	L	White	n/a			
299532	80	118	23 x <u>29</u>	112	S	14000	L	White	n/a	90	68	93.5

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

(cont. on next page)

ECONOMY

Anthem Plus® Gloss Text (cont.)

material number	basis wt.	gsm	size	m.wt. pack	^ sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
298735	100	148	19 x <u>25</u>	100	C	1600	L	White	16	90	68	95.5
299263			23 x <u>35</u>	169		900	L	White	16			
299266			24 x <u>36</u>	182		800	L	White	16			
299269			25 x <u>38</u>	200		800	L	White	16			
299275			28 x <u>40</u>	236		700	L	White	12			
299458	100	148	19 x <u>25</u>	100	M	14000	L	White	n/a	90	68	95.5
299472			23 x <u>35</u>	169		7000	L	White	n/a			
299478			24 x <u>36</u>	182		7000	L	White	n/a			
299482			25 x <u>38</u>	200		7000	L	White	n/a			
299488			28 x <u>40</u>	236		7000	L	White	n/a			
299468	100	148	23 x <u>29</u>	140	S	11000	L	White	n/a	90	68	95.5

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

ECONOMY

Anthem Plus® Gloss Cover

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
298939	80 (7 pt.)*	216	19 x <u>25</u>	146	C	1100	L	White	16	90	68	98
299316			20 x <u>26</u>	160		1000	L	White	16			
299320			23 x <u>35</u>	248		600	L	White	16			
299326			25 x <u>38</u>	292		500	L	White	16			
299330			26 x <u>40</u>	320		500	L	White	16			
299332			28 x <u>40</u>	344		450	L	White	12			
299526	80 (7 pt.)*	216	19 x <u>25</u>	146	M	9000	L	White	n/a	90	68	98
299530			20 x <u>26</u>	160		9000	L	White	n/a			
299534			23 x <u>35</u>	248		4500	L	White	n/a			
299538			24 x <u>36</u>	266		4500	L	White	n/a			
299542			25 x <u>38</u>	292		4500	L	White	n/a			
299546			26 x <u>40</u>	320		4500	L	White	n/a			
299548			28 x <u>40</u>	344		4500	L	White	n/a			
299531	80 (7 pt.)*	216	23 x <u>29</u>	205	S	7000	L	White	n/a	90	68	98
298734	100 (9 pt.)**	271	19 x <u>25</u>	183	C	900	L	White	16	90	68	99
299140			20 x <u>26</u>	200		800	L	White	16			
299262			23 x <u>35</u>	310		500	L	White	16			
299268			25 x <u>38</u>	366		400	L	White	16			
299272			26 x <u>40</u>	400		400	L	White	16			
299274			28 x <u>40</u>	430		350	L	White	12			
299260	100 (9 pt.)**	271	19 x <u>25</u>	183	M	8000	L	White	n/a	90	68	99
299464			20 x <u>26</u>	200		8000	L	White	n/a			
299470			23 x <u>35</u>	310		4000	L	White	n/a			
299476			24 x <u>36</u>	332		4000	L	White	n/a			
299481			25 x <u>38</u>	366		4000	L	White	n/a			
299485			26 x <u>40</u>	400		4000	L	White	n/a			
299487			28 x <u>40</u>	430		4000	L	White	n/a			
299466	100 (9 pt.)**	271	23 x <u>29</u>	257	S	5500	L	White	n/a	90	68	99

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

^ M = Mini Skid

(cont. on next page)

ECONOMY
Anthem Plus® Gloss Cover (cont.)

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
299505	110	297	26 x <u>40</u>	440	M	3500	L	White	n/a	90	68	99
299506			28 x <u>40</u>	474		3500	L	White	n/a			
343716	120	326	26 x <u>40</u>	480	M	3500	L	White	n/a	90	68	99
343717			28 x <u>40</u>	516		3500	L	White	n/a			

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

Contact your Verso Sales Representative for inquiries into remaining 130 lb. gloss cover inventory.

ECONOMY

Anthem Plus® Satin Text

material number	basis wt.	gsm	size	m.wt. pack	^ sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
299510	60	89	24 x <u>36</u>	110	M	12000	L	White	n/a	90	35	91
299512			25 x <u>38</u>	120		12000	L	White	n/a			
299514			28 x <u>40</u>	142		12000	L	White	n/a			
298938	70	104	19 x <u>25</u>	70	C	2200	L	White	16	90	35	92
299309			23 x <u>35</u>	119		1300	L	White	16			
299311			24 x <u>36</u>	128		1300	L	White	16			
299313			25 x <u>38</u>	140		1100	L	White	16			
299315			28 x <u>40</u>	166		1000	L	White	12			
299516	70	104	19 x <u>25</u>	70	M	19000	L	White	n/a	90	35	92
299519			23 x <u>35</u>	119		9500	L	White	n/a			
299521			24 x <u>36</u>	128		9500	L	White	n/a			
299523			25 x <u>38</u>	140		9500	L	White	n/a			
299525			28 x <u>40</u>	166		9500	L	White	n/a			
298710	80	118	19 x <u>25</u>	80	C	2000	L	White	16	90	35	94.5
299323			23 x <u>35</u>	136		1200	L	White	16			
299325			24 x <u>36</u>	146		1100	L	White	16			
299329			25 x <u>38</u>	160		1000	L	White	16			
299335			28 x <u>40</u>	188		800	L	White	12			
299529	80	118	19 x <u>25</u>	80	M	17000	L	White	n/a	90	35	94.5
299537			23 x <u>35</u>	136		8500	L	White	n/a			
299541			24 x <u>36</u>	146		8500	L	White	n/a			
299545			25 x <u>38</u>	160		8500	L	White	n/a			
299551			28 x <u>40</u>	188		8500	L	White	n/a			
299533	80	118	23 x <u>29</u>	112	S	14000	L	White	n/a	90	35	94.5

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

(cont. on next page)

ECONOMY

Anthem Plus® Satin Text (cont.)

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
298738	100	148	19 x <u>25</u>	100	C	1600	L	White	16	90	35	96.5
299265			23 x <u>35</u>	169		900	L	White	16			
299267			24 x <u>36</u>	182		800	L	White	16			
299271			25 x <u>38</u>	200		800	L	White	16			
299277			28 x <u>40</u>	236		700	L	White	12			
299261	100	148	19 x <u>25</u>	100	M	14000	L	White	n/a	90	35	96.5
299474			23 x <u>35</u>	169		7000	L	White	n/a			
299480			24 x <u>36</u>	182		7000	L	White	n/a			
299484			25 x <u>38</u>	200		7000	L	White	n/a			
299490			28 x <u>40</u>	236		7000	L	White	n/a			
299491	100	148	23 x <u>29</u>	140	S	11000	L	White	n/a	90	35	96.5
298741	110 (7 pt.)*	163	19 x <u>25</u>	110	C	1400	L	White	16	90	30	96
299289			23 x <u>35</u>	186		800	L	White	16			
299290			25 x <u>38</u>	220		700	L	White	16			
299291			28 x <u>40</u>	260		550	L	White	12			
303741	110 (7 pt.)*	163	19 x <u>25</u>	110	M	12000	L	White	n/a	90	30	96
299501			25 x <u>38</u>	220		6000	L	White	n/a			
390039	110 (7 pt.)*	163	23 x <u>35</u>	186	S	6000	L	White	n/a	90	30	96
299583			28 x <u>40</u>	260		5000	L	White	n/a			

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Noted *7 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

^ M = Mini Skid

ECONOMY

Anthem Plus® Satin Cover

material number	basis wt.	gsm	size	m.wt. pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
299062	80 (9 pt.)**	216	19 x <u>25</u>	146	C	1100	L	White	16	90	35	99
299317			20 x <u>26</u>	160		1000	L	White	16			
299322			23 x <u>35</u>	248		600	L	White	16			
299328			25 x <u>38</u>	292		500	L	White	16			
299331			26 x <u>40</u>	320		500	L	White	16			
299334			28 x <u>40</u>	344		450	L	White	12			
299528	80 (9 pt.)**	216	19 x <u>25</u>	146	M	9000	L	White	n/a	90	35	99
312742			20 x <u>26</u>	160		9000	L	White	n/a			
299536			23 x <u>35</u>	248		4500	L	White	n/a			
299540			24 x <u>36</u>	266		4500	L	White	n/a			
299544			25 x <u>38</u>	292		4500	L	White	n/a			
299547			26 x <u>40</u>	320		4500	L	White	n/a			
299550			28 x <u>40</u>	344		4500	L	White	n/a			
312743	80 (9 pt.)**	216	23 x <u>29</u>	205	S	7000	L	White	n/a	90	35	99

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

**9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

^ M = Mini Skid

(cont. on next page)

ECONOMY

Anthem Plus® Satin Cover (cont.)

material number	basis wt.	gsm	size	m.wt.	pack^	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
298980	100	271	19 x <u>25</u>	183	C	900	L	White	16	90	35	99
299141			20 x <u>26</u>	200		800	L	White	16			
299264			23 x <u>35</u>	310		500	L	White	16			
299270			25 x <u>38</u>	366		400	L	White	16			
299273			26 x <u>40</u>	400		400	L	White	16			
299276			28 x <u>40</u>	430		350	L	White	12			
299460	100	271	19 x <u>25</u>	183	M	8000	L	White	n/a	90	35	99
314345			20 x <u>26</u>	200		8000	L	White	n/a			
299483			25 x <u>38</u>	366		4000	L	White	n/a			
299486			26 x <u>40</u>	400		4000	L	White	n/a			
299489			28 x <u>40</u>	430		4000	L	White	n/a			
312744	100	271	23 x <u>29</u>	257	S	5500	L	White	n/a	90	35	99
357876	110	297	26 x <u>40</u>	440	M	3000	L	White	n/a	90	35	99
357878			28 x <u>40</u>	474		3000	L	White	n/a			

Anthem Plus® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Anthem Plus® Recycled is available as a making item direct from mill. Subject to master roll availability and run schedules.

Anthem Plus® is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

^ M = Mini Skid

Anthem Plus® 120 lb. satin cover available in 2022. Contact your Verso Sales Representative for more details and inquiries into remaining 130 lb. satin cover inventory.

PREMIUM

Productolith® Pts. C1S Caliper Cover/SBS Paperboard

material number	caliper	board wts. (24x36)	gsm	size	m.wt.	pack sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
402885	8 pt.	108	176	20 x <u>26</u>	130	C	1100	L	White	16	91	40	97
403012				25 x <u>38</u>	238		600	L	White	16			
403023				26 x <u>40</u>	260		550	L	White	16			
403031				28 x <u>40</u>	280		500	L	White	12			
403083	8 pt.	108	176	25 x <u>38</u>	238	S	10000	L	White	n/a	91	40	97
403099				28 x <u>40</u>	280		8000	L	White	n/a			
402874	10 pt.	134	218	19 x <u>25</u>	147	C	1000	L	White	16	91	40	98
402886				20 x <u>26</u>	161		900	L	White	16			
403013				25 x <u>38</u>	295		500	L	White	16			
403024				26 x <u>40</u>	323		450	L	White	16			
403035				28 x <u>40</u>	347		400	L	White	12			
403280	10 pt.	134	218	19 x <u>25</u>	147	S	12000	L	White	n/a	91	40	98
403281				20 x <u>26</u>	161		16000	L	White	n/a			
403084				25 x <u>38</u>	295		8000	L	White	n/a			
403100				28 x <u>40</u>	347		7000	L	White	n/a			
402875	12 pt.	157	256	19 x <u>25</u>	173	C	850	L	White	16	91	40	99
402887				20 x <u>26</u>	189		750	L	White	16			
403014				25 x <u>38</u>	345		400	L	White	16			
403025				26 x <u>40</u>	378		400	L	White	16			
403032				28 x <u>40</u>	407		350	L	White	12			
403283	12 pt.	157	256	20 x <u>26</u>	189	S	12000	L	White	n/a	91	40	99
403101				28 x <u>40</u>	407		6000	L	White	n/a			

Productolith® Pts. is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

All calipers manufactured with 10% post-consumer waste (PCW) recycled fiber upon request with upcharge.

Productolith® Pts. is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Equivalent Basis Weights

	Board Bswt. (24x36)	Text Bswt. (25x38)	Cover Bswt. (20x26)	GSM
8 pt. C1S	108	119	65	176
10 pt. C1S	134	147	81	218
12 pt. C1S	157	173	95	256

PREMIUM

Productolith® Pts. C2S Caliper Cover/SBS Paperboard

material number	caliper	board wts. (24x36)	gsm	size	m.wt.	pack sheets	grain	color	cartons/ pallet	bright-ness	gloss	opacity	
403082	8 pt.	118	192	25 x <u>38</u>	259	S	9000	L	White	n/a	91	40	96
403017	10 pt.	145	236	25 x <u>38</u>	319	C	450	L	White	16	91	40	97.5
403028				26 x <u>40</u>	349		400	L	White	16			
403033				28 x <u>40</u>	376		400	L	White	12			
403073	10 pt.	145	236	23 x <u>35</u>	270	S	8000	L	White	n/a	91	40	97.5
403088				25 x <u>38</u>	319		7000	L	White	n/a			
403102				28 x <u>40</u>	376		5000	L	White	n/a			
403007	12 pt.	170	277	23 x <u>35</u>	317	C	450	L	White	16	91	40	98
403018				25 x <u>38</u>	374		400	L	White	16			
403029				26 x <u>40</u>	409		350	L	White	16			
403034				28 x <u>40</u>	441		350	L	White	12			
403074	12 pt.	170	277	23 x <u>35</u>	317	S	8000	L	White	n/a	91	40	98
403089				25 x <u>38</u>	374		6000	L	White	n/a			
403098				26 x <u>40</u>	409		5000	L	White	n/a			
403103				28 x <u>40</u>	441		5000	L	White	n/a			

Productolith® Pts. is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

All calipers manufactured with 10% post-consumer waste (PCW) recycled fiber upon request with upcharge.

Productolith® Pts. is acid free and is manufactured using elemental chlorine-free bleach (ECF).

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Equivalent Basis Weights

	Board Bswt. (24x36)	Text Bswt. (25x38)	Cover Bswt. (20x26)	GSM
8 pt. C2S	118	130	72	192
10 pt. C2S	145	160	88	237
12 pt. C2S	170	187	103	277

COATED ONE SIDE SHEET

Sterling® Ultra C1S

material number	basis wt.	gsm	size	m.wt.	pack sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity	
87539	70	104	28 x <u>40</u>	166	C	900	L	White	12	89	72	89.5
87570	70	104	23 x <u>35</u>	119	S	21000	L	White	n/a	89	72	89.5
87572			28 x <u>40</u>	166		15000	L	White	n/a			
87542	80	118	23 x <u>35</u>	136	C	1100	L	White	16	89	72	92
87543			25 x <u>38</u>	160		1000	L	White	16			
87544			28 x <u>40</u>	188		800	L	White	12			
87575	80	118	23 x <u>35</u>	136	S	18000	L	White	n/a	89	72	92
87576			25 x <u>38</u>	160		15000	L	White	n/a			
87577			28 x <u>40</u>	188		13000	L	White	n/a			
374759	95	141	28 x <u>40</u>	224	C	700	L	White	12	89	72	94
374760	95	141	23 x <u>35</u>	161	S	15000	L	White	n/a	89	72	94
374761			25 x <u>38</u>	190		13000	L	White	n/a			
374843			28 x <u>40</u>	224		11000	L	White	n/a			

Manufactured with 10% post-consumer waste (PCW) recycled fiber upon request with upcharge.

Sterling® Ultra C1S is acid free, designed for permanence and manufactured using elemental chlorine-free (ECF) bleached pulp.

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

COATED ONE SIDE SHEET
OptiLitho™ C1S

material number	basis wt.	gsm	size	m.wt.	pack	sheets	grain	color	cartons/pallet	bright-ness	gloss	opacity
378930	60	89	28 x <u>40</u>	142	C	1000	L	White	12	87	70	87.5
378959	60	89	28 x <u>40</u>	142	S	18000	L	White	n/a	87	70	87.5

Material stocked at Sauk Village, Illinois location only

OptiLitho™ C1S is acid free, designed for permanence and manufactured using elemental chlorine-free (ECF) bleached pulp.

To review product stewardship and sustainability information please see the Verso Product Regulatory Profile Sheet posted at www.versoco.com/ProductRegulatoryProfile.

Sterling® Premium

Anthem Plus®

Productolith® Pts.

Sterling® Ultra C1S

OptiLitho™ C1S

Web

NO. 2
Sterling® Ultra Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
150516	60	89	35	50	White	90	72	92
61506	70	104	18	50	White	90	72	93
57677			35	50	White			
57679			35.5	50	White			
57687			38	50	White			
61511	80	118	17.5	50	White	90	72	94
61512			18	50	White			
61514			26.5	50	White			
61515			35	50	White			
85381			35.5	50	White			
61516			38	50	White			
212546	100		18	50	White	90	72	95
212725			20	50	White			
61521			35	50	White			
150499			35.5	50	White			
61522			38	50	White			

NO. 2

Sterling® Ultra Gloss Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
86918	7 pt.* HY (123 lb. T / 68 lb. C)	182	38	50	White	90	70	97
304468	7 pt.* (133 lb. T / 73 lb. C)	197	23	50	White	90	72	98
86833			35.5	50	White			
86834			38	50	White			
290893	8 pt. (142 lb. T / 78 lb. C)	210	17.5	50	White	90	72	98
301366			23	50	White			
86859			35.5	50	White			
86860			38	50	White			
340958	9 pt.** (162 lb. T / 89 lb. C)	240	18	50	White	90	72	98.5
348164			20	50	White			
86880			26.5	50	White			
86884			35	50	White			
86885			35.5	50	White			
86886			38	50	White			

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 2
Sterling® Ultra Dull Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
150508	60	89	35	50	White	90	40	92
46766	70	104	35	50	White	90	40	93
61469			38	50	White			
56263	80	118	35	50	White	90	40	94
150535			35.5	50	White			
61680			38	50	White			
52892	100	148	18	40	White	90	40	95
61480			38	50	White			

NO. 2

Sterling® Ultra Dull Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
342046	7 pt.* (129 lb. T / 71 lb. C)	191	38	50	White	90	40	98

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 2

Sterling® Ultra Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
153084	60	89	35	50	White	90	25	93
61530	70	104	18	50	White	90	25	94
61533			35	50	White			
61534			38	50	White			
47175	80	118	18	40	White	90	25	95
61536			18	50	White			
61537			23	50	White			
85394			33	50	White			
61539			35	50	White			
61540			38	50	White			

NO. 2

Sterling® Ultra Matte Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
310656	^{7 pt.*} (116 lb. T / 64 lb. C)	172	18	50	White	90	25	97
86927			26.5	40	White			
86932			35	40	White			
310565	^{9 pt.**} (143 lb. T / 79 lb. C)	212	18	50	White	90	25	98
86987			26.5	40	White			
87005			35.5	50	White			

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 3 COATED FREESHEET

Influence® Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327225	45	67	35	50	White	86	70	88.5
327317	50	74	17.5	40	White	86	70	89.5
351673			18	50	White			
327338			26.5	50	White			
327363			33	50	White			
327372			34.5	50	White			
327375			35	50	White			
327388			38	50	White			
327483	60	89	17.5	50	White	88	70	91.5
327485			18	40	White			
327486			18	50	White			
327491			20	50	White			
327508			23	50	White			
327514			23.5	50	White			
327535			26.5	50	White			
327577			33	50	White			
327590			34.5	50	White			
327592			35	40	White			
327593			35	50	White			
327599			35.5	50	White			
327609			38	40	White			
327610			38	50	White			
327643			52.5	50	White			

NO. 3 COATED FREESHEET

Influence® Gloss Text (cont.)

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
325465	70	104	17.5	40	White	88	70	93
325467			17.5	50	White			
325471			18	40	White			
325474			18	50	White			
325507			23	50	White			
325513			23.5	40	White			
325536			26.5	50	White			
325580			33	50	White			
325595			34.5	50	White			
325599			35	40	White			
325600			35	50	White			
325607			35.5	50	White			
325624			38	50	White			
326114	80	118	17.5	50	White	88	70	94
326120			18	40	White			
326123			18	50	White			
326184			23	50	White			
326191			23.5	50	White			
326217			26.5	50	White			
326275			33	50	White			
326293			34.5	50	White			
326298			35	40	White			
326299			35	50	White			
326309			35.5	50	White			
326329			38	50	White			

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED FREESHEET

Influence® Gloss Text (cont.)

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
324847	100	148	17.5	50	White	88	70	96
324856			18	50	White			
324900			23	50	White			
324934			26.5	50	White			
324975			33	50	White			
324996			34.5	50	White			
325002			35	50	White			
325012			35.5	50	White			
325029			38	50	White			

NO. 3 COATED FREESHEET

Influence® Gloss Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
331331	80 (7 pt.)*	216	18	50	White	88	70	98
357779			20	50	White			
329478			35	50	White			
329480			35.5	40	White			

Noted *7 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 3 COATED FREESHEET

Influence® Soft-Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327803	50	74	35	50	White	86	35	90.5
327864	60	89	35	50	White	88	35	92
325991	70	104	35	50	White	88	35	94
325995			35.5	50	White			
326679	80	118	18	50	White	88	35	95
326738			35	50	White			
326739			35.5	40	White			
325347	100	148	35.5	50	White	88	35	96

Sterling® Ultra

Influence®

Liberty®

NO. 3 COATED FREESHEET

Influence® Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
327746	50	74	35	50	White	86	25	91
326980	60	89	17.5	50	White	88	25	92
326983			18	40	White			
326984			18	50	White			
326991			23.5	50	White			
327001			26.5	50	White			
327018			33	50	White			
327025			34.5	50	White			
327029			35	50	White			
327032			35.5	50	White			
327042			38	50	White			
325754	70	104	17.5	50	White	88	25	93
325757			18	40	White			
325760			18	50	White			
325784			23	50	White			
325788			23.5	50	White			
325802			26.5	50	White			
325840			35	50	White			
325843			35.5	50	White			
325855			38	50	White			
326497	80	118	18	40	White	88	25	95
326499			18	50	White			
326537			26.5	50	White			
326559			33	50	White			
326573			35	50	White			
326577			35.5	50	White			
326593			38	50	White			
353655	100	148	20	50	White	88	25	95
338270			21.5	50	White			
325195			26.5	50	White			
325212			33	50	White			
325221			35	50	White			
325234			38	50	White			

NO. 3 COATED FREESHEET

Influence® Matte Cover

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
340428	80 (9 pt.)**	216	20	50	White	88	30	98
329682			35.5	50	White			
329695			38	50	White			

Noted **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 3 COATED FREESHEET

Influence® Matte Reply Card

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
340061	134 (9 pt.)**	198	18	50	White	88	20	98
329790			35	50	White			

Noted **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.

NO. 4 COATED GROUNDWOOD
Liberty® Gloss Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
331814	40	59	33	50	White	82	62	87
331854			35	50	White			
333787	45	67	33	50	White	82	64	89.5
333820			35	50	White			
334219	50	74	33	50	White	83	65	91
334253			35	50	White			
334635	60	89	33	50	White	84	68	92.5
334664			35	50	White			

NO. 4 COATED GROUNDWOOD
Liberty® Dull Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
355201	40	59	35	50	White	82	35	87
355279	50	74	35	50	White	82	35	90.5

NO. 4 COATED GROUNDWOOD
Liberty® Matte Text

material number	basis wt.	gsm	size	diameter	color	brightness	gloss	opacity
333969	45	67	35	50	White	83	25	92

Digital Sheets

PREMIUM RECYCLED

Sterling® Premium Digital™ Gloss Text

material number	basis wt.		size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
389583	80	118	8.5 x <u>11</u>	16	n/a	n/a	500	6	3000	40	L	95	72	94.5
389577			11 x <u>17</u>	31	n/a	n/a	500	3	1500	40	L			
389551			12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L			
389595			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
389638			17 x <u>11</u>	31	n/a	n/a	500	3	1500	40	S			
389640			18 x <u>12</u>	36	n/a	n/a	500	3	1500	40	S			
389601			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
389592	100	148	8.5 x <u>11</u>	20	n/a	n/a	400	6	2400	40	L	95	72	96
389586			11 x <u>17</u>	39	n/a	n/a	500	3	1500	40	L			
389550			12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L			
389580			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
389639			17 x <u>11</u>	39	n/a	n/a	500	3	1500	40	S			
389732			18 x <u>12</u>	45	n/a	n/a	500	2	1000	40	S			
389733			19 x <u>13</u>	52	n/a	n/a	500	2	1000	30	S			
389599			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Sterling® Premium Digital™ is made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Sterling® Premium Digital™ is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

PREMIUM RECYCLED

Sterling® Premium Digital™ Gloss Cover

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	bright- ness	gloss	opacity
389584	80 (7 pt.)*	216	8.5 x <u>11</u>	29	n/a	n/a	250	6	1500	40	L	95	72 98
389585			17 x <u>11</u>	58	n/a	n/a	250	3	750	40	S		
389575			18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S		
389591			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S		
389573			20.75 x <u>29.5</u>	188	4000	1	n/a	n/a	n/a	n/a	L		
389589	100 (9 pt.)**	271	8.5 x <u>11</u>	36	n/a	n/a	200	6	1200	40	L	95	72 99
389588			17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S		
389572			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S		
389582			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S		
389581			20.75 x <u>29.5</u>	235	3000	1	n/a	n/a	n/a	n/a	L		
390001	120	326	18 x <u>12</u>	100	n/a	n/a	200	2	400	40	S	95	72 99
390022			19 x <u>13</u>	114	n/a	n/a	200	2	400	30	S		

Sterling® Premium Digital™ is made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.



Sterling® Premium Digital™ is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

PREMIUM RECYCLED

Sterling® Premium Digital™ Silk Text

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright- ness	gloss	opacity
389574	80	118	12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L	95	45	94.5
389594			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
389641			18 x <u>12</u>	36	n/a	n/a	500	3	1500	40	S			
389598			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
389476	100	148	8.5 x <u>11</u>	20	n/a	n/a	400	6	2400	40	L	95	45	96
389576			12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L			
389590			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
390000			18 x <u>12</u>	45	n/a	n/a	500	2	1000	40	S			
389734			19 x <u>13</u>	52	n/a	n/a	500	2	1000	30	S			
389600			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Sterling® Premium Digital™ is made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details. All materials available only in white.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Sterling® Premium Digital™ is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

PREMIUM RECYCLED

Sterling® Premium Digital™ Silk Cover

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright-ness	gloss	opacity
389903	80 (7 pt.)*	216	17 x <u>11</u>	58	n/a	n/a	250	3	750	40	S	95	45	98
389579			18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S			
389593			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
389597			20.75 x <u>29.5</u>	188	4000	1	n/a	n/a	n/a	n/a	L			
389904	100 (9 pt.)**	271	17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S	95	45	99
389578			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S			
389587			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
389596			20.75 x <u>29.5</u>	235	3000	1	n/a	n/a	n/a	n/a	L			
390023	120	326	18 x <u>12</u>	100	n/a	n/a	200	2	400	40	S	95	45	99
390024			19 x <u>13</u>	114	n/a	n/a	200	2	400	30	S			

Sterling® Premium Digital™ is made with chain-of-custody fiber: FSC®, SFI®, PEFC™ and manufactured with 10% post-consumer waste (PCW) recycled fiber.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Sterling® Premium Digital™ is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.



Sterling® Premium Digital™ is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

ECONOMY

Blazer Digital® Gloss Text

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	brightness	gloss	opacity
279498	80	118	11 x <u>17</u>	31	n/a	n/a	500	3	1500	40	L	90	68	93.5
279499			12 x <u>18</u>	36	n/a	n/a	500	3	1500	40	L			
312443			12 x <u>18</u>	36	32000	4	n/a	n/a	n/a	n/a	L			
279500			13 x <u>19</u>	42	n/a	n/a	500	3	1500	30	L			
308065			29.5 x <u>20.75</u>	103	8000	1	n/a	n/a	n/a	n/a	S			
279652	100	148	11 x <u>17</u>	39	n/a	n/a	500	3	1500	40	L	90	68	95.5
279653			12 x <u>18</u>	45	n/a	n/a	500	2	1000	40	L			
279654			13 x <u>19</u>	52	n/a	n/a	500	2	1000	30	L			
308066			29.5 x <u>20.75</u>	129	7000	1	n/a	n/a	n/a	n/a	S			

Blazer Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

ECONOMY

Blazer Digital® Gloss Cover

material number	basis wt.	gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	grain	bright-ness	gloss	opacity
279656	80 (7 pt.)*	216	17 x 11	58	n/a	n/a	250	3	750	40	S	90	68	98
279657			18 x 12	66	n/a	n/a	250	3	750	40	S			
312447			18 x 12	66	15000	4	n/a	n/a	n/a	n/a	S			
279658			19 x 13	76	n/a	n/a	250	3	750	30	S			
308069			20.75 x 29.5	188	4000	1	n/a	n/a	n/a	n/a	L			
279660	100 (9 pt.)**	271	17 x 11	72	n/a	n/a	250	2	500	40	S	90	68	99
279661			18 x 12	83	n/a	n/a	250	2	500	40	S			
279662			19 x 13	95	n/a	n/a	250	2	500	30	S			
348649			19 x 13	95	17500	6	n/a	n/a	n/a	n/a	S			
279663			20 x 14	108	n/a	n/a	250	2	500	25	S			
308070			20.75 x 29.5	235	3000	1	n/a	n/a	n/a	n/a	L			
306405			26 x 14.33	143	n/a	n/a	n/a	n/a	400	32	S			
290282	110	297	18 x 12	91	n/a	n/a	200	3	600	40	S	90	68	99
290283			19 x 13	105	n/a	n/a	200	3	600	30	S			
311399			20.75 x 29.5	259	3000	1	n/a	n/a	n/a	n/a	L			

Blazer Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted *7 pt. and **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted *7 pt. and **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

Blazer Digital® 120 lb. gloss cover available in 2022. Contact your Verso Sales Representative for more details.

ECONOMY

Blazer Digital® Satin Text

material number	basis wt. gsm		size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/carton	cartons/pallet	brightness	gloss	opacity	
279621	80	118	11 x 17	31	n/a	n/a	500	3	1500	40	L	90	30	93.5
279622			12 x 18	36	n/a	n/a	500	3	1500	40	L			
312444			12 x 18	36	32000	4	n/a	n/a	n/a	n/a	L			
279623			13 x 19	42	n/a	n/a	500	3	1500	30	L			
308067			29.5 x 20.75	103	6500	1	n/a	n/a	n/a	n/a	S			
279626	100	148	12 x 18	45	n/a	n/a	500	2	1000	40	L	90	30	95.5
279627			13 x 19	52	n/a	n/a	500	2	1000	30	L			
308068			29.5 x 20.75	129	5500	1	n/a	n/a	n/a	n/a	S			

Blazer Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

ECONOMY

Blazer Digital® Satin Cover

material number	basis wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright-ness	gloss	opacity
279631	80 (9pt)**	216	18 x <u>12</u>	66	n/a	n/a	250	3	750	40	S	90	30	98
279642			19 x <u>13</u>	76	n/a	n/a	250	3	750	30	S			
308071			20.75 x <u>29.5</u>	188	3000	1	n/a	n/a	n/a	n/a	L			
279494	100	271	17 x <u>11</u>	72	n/a	n/a	250	2	500	40	S	90	30	99
279495			18 x <u>12</u>	83	n/a	n/a	250	2	500	40	S			
279496			19 x <u>13</u>	95	n/a	n/a	250	2	500	30	S			
279497			20 x <u>14</u>	108	n/a	n/a	250	2	500	25	S			
308072			20.75 x <u>29.5</u>	235	2500	1	n/a	n/a	n/a	n/a	L			
339454			26 x <u>14.33</u>	143	n/a	n/a	n/a	n/a	400	32	S			
290284	110	297	18 x <u>12</u>	91	n/a	n/a	200	3	600	40	S	90	30	99
290285			19 x <u>13</u>	105	n/a	n/a	200	3	600	30	S			
311400			20.75 x <u>29.5</u>	259	2500	1	n/a	n/a	n/a	n/a	L			

Blazer Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Non-standard sizes available upon request. Please contact your local salesperson with questions.

All materials available only in white.

Blazer Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

Noted **9 pt. minimum caliper items are guaranteed for postal applications. With the exception of noted **9 pt. minimum caliper items, Verso manufactures to basis weight, not to specific bulk standards.



Blazer Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

Blazer Digital® 120 lb. gloss cover available in 2022. Contact your Verso Sales Representative for more details.

PREMIUM

Productolith Pts. Digital® C1S Caliper Cover/SBS Paperboard

material number	board caliper^	wt.	gsm	size	m.wt.	sheets/ skid	tiers	sheets/ package	packages/ carton	sheets/ carton	cartons/ pallet	grain	bright- ness	gloss	opacity
269515	10 pt.	134	218	18 x <u>12</u>	67	n/a	n/a	200	4	800	40	S	91	40	98
274147				19 x <u>13</u>	76	n/a	n/a	200	4	800	30	S			
311497				20.75 x <u>29.5</u>	190	3000	1	n/a	n/a	n/a	n/a	L			
269518	12 pt.	157	256	18 x <u>12</u>	79	n/a	n/a	200	3	600	40	S	91	40	99
274149				19 x <u>13</u>	90	n/a	n/a	200	3	600	30	S			
311499				20.75 x <u>29.5</u>	222	2500	1	n/a	n/a	n/a	n/a	L			

Productolith Pts. Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Productolith Pts. Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

^ Caliper is guaranteed

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

10 pt. C1S = 134

12 pt. C1S = 157



Productolith Pts. Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

PREMIUM

Productolith Pts. Digital® C2S Caliper Cover/SBS Paperboard

material number	board caliper [^]	wt. gsm	size	m.wt.	sheets/skid	tiers	sheets/package	packages/carton	sheets/cartons/pallet	grain	bright-ness	gloss	opacity		
269526	12 pt.	170	277	18 x 12	85	n/a	n/a	200	3	600	40	S	91	40	98
274154				19 x 13	97	n/a	n/a	200	3	600	30	S			
311500				20.75 x 29.5	241	2500	1	n/a	n/a	n/a	n/a	L			

Productolith Pts. Digital® is made with chain-of-custody fiber: FSC®, SFI®, PEFC™.

Special making sizes and skid packs are available for 5000 lb. minimum orders. Please contact Verso customer service for more details.

All materials available only in white.

Productolith Pts. Digital® is designed for small format presses, direct-to-press installations, production color, black & white digital presses, high-speed color and black & white copiers.

[^] Caliper is guaranteed

Equivalent Basis Weights (using the board basis - 24 x 36 or 3,000 square feet)

12 pt. C2S = 170



Productolith Pts. Digital® is certified to run on HP Indigo equipment and certified by RIT. Please refer to <http://printlab.rit.edu/services/media-certification/hp-indigo-program> for further information.

Verso is an Alliance One Select Member for Graphic Arts.

Verso Corporation is a leading American owned and operated producer of graphic, specialty and packaging paper and market pulp, with a long-standing reputation for quality and reliability. Verso's graphic paper products are designed primarily for commercial printing, advertising and marketing applications, including direct mail, catalogs, corporate collateral, books and magazines. Verso's specialty paper products include release liner papers and label face stock for pressure sensitive, glue-applied and laminate applications. Verso produces packaging paper used in higher-end packaging and printing applications such as greeting cards, book covers, folders, labels and point-of-purchase displays. Verso also makes market pulp used in printing, writing, specialty and packaging paper, facial and toilet tissue, and paper towels. For more information, visit us online at versoco.com.



Verso Corporation
8540 Gander Creek Drive
Miamisburg, Ohio 45342
800-258-8852
versoco.com

